Hantekno 04 Kalliotie 2, 04360 Tuusula

Kysy määräalennuksista

Hinnasto **Measurement Computing, info@hantekno.com**

10.02.2015

		Alv0%
1109-0800	SPLICE BAR KIT,(UNIT TO UNIT), DBK90 SERIES	45
*** Note *** IOtech		
1109-0801	RACK MOUNT KIT, DBK90 SERIES	45
*** Note *** IOtech		
1109-0802	SPLICE PLATE KIT (1 - 2 UNITS) ,DBK90 SERIES	45
*** Note *** IOtech		
1109-0803	SPLICE PLATE KIT,(1-3 UNITS), DBK90 SERIES	45
*** Note *** IOtech		
1109-0804	SPLICEPLATE KIT,MOLDED CORNER, 2 UNITS, DBK90 SERIES	45
*** Note *** IOtech		
190658A-01	KIT, STACKING, 6000 SERIES ENCLOSURE	69
*** Note *** IOtech		
2 GB CF Card	2 GB Compact Flash Card for MCC Dataloggers	246
512 MB CFCard	512 MB Compact Flash Card for MCC Dataloggers	104
6220 MODULE	12-channel, 16-bit resolution, Ethernet measurement module	3244
*** Note *** IOtech		
6222 MODULE	IOT6222, ENET, 12CH, 24BIT THERMOCOUPLE INPUT	2487
*** Note *** IOtech		
6224 MODULE	IOT6224, ENET, 12CH, 24BIT kS/s, BRIDGE ANALOG INPUT	4719
*** Note *** IOtech		
6230 MODULE	IOT6230, ENET, 12CH, 24BIT, +/-10V, 50kS/s, ANALOG INPUT	4325
*** Note *** IOtech		
6231 MODULE	12-channel, 24-bit ADC, Ethernet high-speed ±60V isolated voltage input module,	4650
*** Note *** IOtech		
6K-ERB08	8-channel form C (SPDT) relay rack for PCI-DAS6000 series boards	206
6K-SSR-RACK08	8-channel solid state I/O module rack for PCI-DAS6000 series boards	206
7210-TQFP-R	IEEE 488.2 Controller Chip-44 Pin TQFP RoHS Compliant	22
745690-E001	E-Type Thermocouples wire, firberglass (32 deg F to 900 deg F) 1M	44
745690-E002	E-Type Thermocouples wire, firberglass (32 deg F to 900 deg F) 2M	44
745690-J001	J-Type Thermocouples wire, fiberglass (32 deg F to 900 deg F) 1M	44
745690-J002	J-Type Thermocouples wire, fiberglass (32 deg F to 900 deg F) 2M	44
745690-K001	K-Type Thermocouple wire, firberglass (32 deg F to 900 deg F) 1M	44
745690-K002	K-Type Thermocouples wire, fiberglass (32 deg F to 900 deg F) 2M	44
745690-T001	T-Type Thermocouples wire, fiberglass (32 deg F to 500 deg F) 1M	44
745690-T002	T-Type Thermocouples wire, fiberglass (32 deg F to 500 deg F) 2M	44
745691-01	3-Wire, 100 OHM, sealed with alumina tube	44
745691-02	3-wire, 100 OHM Platinum RTD (ready made)	58
AC1360	Single Channel Evaluation Board, with Screw Terminal and Cold Junction Sensor	42
AC1362	20 ohm Current Sense Resistor, used with 5B series	10
AC1383	6B Series User's Manual	35
ACC-102	2-position connector kit. Quantity of 10	44
ACC-107	Backshell with 10-position connector block (qty. 1)	38
ACC-121	10-position screw terminal connector block (qty. 10)	73
ACC-160	Backshell kit with 4 backshells	44
ACC-164	4 extra 6-position connectors for the USB-2404-UI	44

ACC-176	Backshell kit for use with the ACC-164 6 position connectors (qty 4 backshells)	44
ACC-202	DIN rail kit	44
ACC-205	DIN rail mounting adapter for BTH & USB-2	44
ACC-216	DST kit with 6 DST's for USB-2416	146
ACC-300	Interface board for transitioning to PCI-DAS6000 Series Hardware	77
ACC-TC-J-001	Exposed tip J-type thermocouple, 36 in with mini connector	44
AI-EXP32	Expansion module for USB-2416 or USB-2416-4AO	638
AI-EXP48	USB-1616HS Series Analog Expansion Module. Adds 24 DI or 48 SE Inputs	589
Australia Plug	Australia Plug for USB Power Adapter	14
BCR/1000/1	1000 OHM BRIDGE RESISTOR (R-17-1K)	21
*** Note *** IOtech		
BCR/120/1	120 OHM BRIDGE RESISTOR 0.1% (R-17-120)	21
*** Note *** IOtech		
BCR/350/1	350 OHM BRIDGE RESISTOR 0.1% (R-17-350)	21
*** Note *** IOtech		
BLK-35B	3.5" blank face panel for 19" racks Black	27
BLK-35G	3.5" blank face panel for 19" racks Gray	27
BLK-55B	5.5" blank face panel for 19" racks Black	41
BLK-55G	5.5" blank face panel for 19" rack Gray	41
BNC-08DI	8 Channel Differential BNC Connector box for DAS8/800 Series	333
BNC-16DI	8 Channel Differential BNC Connector box DAS16/6400/1600/1200/1000 series	333
BNC-16SE	16 Channel Single Ended BNC Connector box for DAS16/6400/1600/1200/1000	333
BP-37	Backplate with 37 Pin Male Connector & Cable for CIO boards.	44
BP-37/P	37 Pin backplate & cable for PCI boards	44
BP-37F	Backplate with 37 Pin Female Conn. & Cable for CIO boards.	44
BP40-37	40 PIN TO 37 PIN cSBX TO BACK PLATE TRANSITION CABLE	44
BP40-37F	40 Pin IDC Female to 37 Pin D Female with Back Plate Assembly	44
BP-POWER	Back Plate Power Acc for C-Molex-10	44
BTH-1208LS	Wireless DAQ device, 8 SE/4 DIFF analog i 2 analog outputs, 8 DIO, and one 32-bit c	196
BTH-1208LS-OEM	Wireless DAQ device, 8 SE/4 DIFF analog i board-only version with header connectors	186
C100FE-1	1 Foot PCI-DUAL-AC5 to SSR-PB24 cable	81
C100FE-10	10 Foot PCI-DUAL-AC5 to SSR-PB24 cable	152
C100FE-15	15 Foot PCI-DUAL-AC5 to SSR-PB24 cable	195
C100FE-2	2 Foot PCI_DUAL-AC5 to SSR-PB24 cable	81
C100FE-20	20 Foot PCI-DUAL-AC5 to SSR-PB24 cable	166
C100FE-25	25 Foot PCI-DUAL-AC5 to SSR-PB24 cable	196
C100FE-3	3 Foot PCI--DUAL-AC5 to SSR-PB24 cable	90
C100FE-4	4 Foot PCI-DUAL-AC5 to SSR-PB24 cable	98
C100FE-5	5 Foot PCI-DUAL-AC5 to SSR-PB24 cable	108
C100FE-50	50 Foot PCI-DUAL-AC5 to SSR-PB24 cable	354
C100FF-1	1' 100 Pin High Density Connector to 2 50 Pin IDC	81
C100FF-10	10' 100 Pin High Density Connector to 2 50 Pin IDC	152
C100FF-15	15' 100 Pin High Density Connector to 2 50 Pin IDC	197
C100FF-2	2' 100 Pin High Density Connector to 2 50 Pin IDC	81
C100FF-20	20' 100 Pin High Density Connector to 2 50 Pin IDC	168
C100FF-25	25' 100 Pin High Density Connector to 2 50 Pin IDC	199
C100FF-3	3' 100 Pin High Density Connector to 2 50 Pin IDC	90
C100FF-4	4' 100 Pin High Density Connector to 2 50 Pin IDC	98
C100FF-5	5' 100 Pin High Density Connector to 2 50 Pin IDC	108
C100FF-50	50' 100 Pin High Density Connector to 2 50 Pin IDC	354

C100HD50-3	100/Dual 50-pin hi-density cable, 3 ft (1 meter) length	96
C100HD50-6	100/dual 50-pin hi-density cable, 6 ft (2 meter) length	117
C100MMS-1M	Shielded 100 conductor cable - 1 meter	199
C100MMS-2M	Shielded 100 conductor - 2 meter	165
C100MMS-3M	Shielded 100 conductor cable - 3 meter	192
C10-COM-1	PC104 Serial Port Cable 1 Feet Long	29
C10-COM-10	PC104 Serial Port Cable 10 Feet Long	65
C10-COM-15	PC104 Serial Port Cable 15 Feet Long	87
C10-COM-2	PC104 Serial Port Cable 2 Feet Long	29
C10-COM-20	PC104 Serial Port Cable 20 Feet Long	111
C10-COM-25	PC104 Serial Port Cable 25 Feet Long	131
C10-COM-3	PC104 Serial Port Cable 3 Feet Long	34
C10-COM-4	PC104 Serial Port Cable 4 Feet Long	38
C10-COM-5	PC104 Serial Port Cable 5 Feet Long	42
C10-COM-50	PC104 Serial Port Cable 50 Feet Long	186
C25F9M-10	25-pin F to 9-pin M cable 10 ft	25
C25F9M-25	25-pin F to 9-pin M cable 25 ft	41
C25F9M-50	25-pin F to 9-pin M cable 50 ft	65
C25FF-10	25-pin F to 25-pin F cable 10 ft	41
C25FM-1	1' 25 Conductor Ribbon Cable, Female Connector 1 End, Male 1 on Other	41
C25FM-10	25-pin M to 25-pin F cable 10 ft	80
C25FM-15	15' 25 Conductor Ribbon Cable, Female Connector 1 End, Male 1 on Other	104
C25FM-2	2' 25 Conductor Ribbon Cable, Female Connector 1 End, Male 1 on Other	44
C25FM-20	20' 25 Conductor Ribbon Cable, Female Connector 1 End, Male 1 on Other	131
C25FM-25	25' 25 Conductor Ribbon Cable, Female Connector 1 End, Male 1 on Other	146
C25FM-3	3' 25 Conductor Ribbon Cable, Female Connector 1 End, Male 1 on Other	42
C25FM-4	4' 25 Conductor Ribbon Cable, Female Connector 1 End, Male 1 on Other	52
C25FM-5	5' 25 Conductor Ribbon Cable, Female Connector 1 End, Male 1 on Other	56
C25FM-50	50' 25 Conductor Ribbon Cable, Female Connector 1 End, Male 1 on Other	193
C25MM-10	25-pin M to 25-pin M cable 10 ft	41
C26-LPT-1	PC104 Parallel Port Cable 1 Feet Long	25
C26-LPT-10	PC104 Parallel Port Cable 10 Feet Long	66
C26-LPT-15	PC104 Parallel Port Cable 15 Feet Long	88
C26-LPT-2	PC104 Parallel Port Cable 2 Feet Long	25
C26-LPT-20	PC104 Parallel Port Cable 20 Feet Long	111
C26-LPT-25	PC104 Parallel Port Cable 25 Feet Long	139
C26-LPT-3	PC104 Parallel Port Cable 3 Feet Long	29
C26-LPT-4	PC104 Parallel Port Cable 4 Feet Long	38
C26-LPT-5	PC104 Parallel Port Cable 5 Feet Long	39
C26-LPT-50	PC104 Parallel Port Cable 50 Feet Long	180
C37F-4X25M-1M	One meter DB37F to 4 x DB25M cable for 4 port COM interface	52
C37F-4X9F-1M	One meter DB37F to 4 x DB9F cable for PCI-QUAD04	52
C37F-4X9M-1M	One meter DB37F to 4 x DB9M Cable For 4 port COM Interface	52
C37FF-1	1' 37 Conductor Ribbon Cable, Female Connectors Each End	45
C37FF-10	10' 37 Conductor Ribbon Cable, Female Connectors Each End	80
C37FF-15	15' 37 Pin Female to Female Ribbon Cable	104
C37FF-2	2' 37 Conductor Ribbon Cable, Female Connectors Each End	45
C37FF-20	20' 37 PIN FEMALE TO FEMALE RIBBON CABLE	125
C37FF-25	25' 37 Conductor Ribbon Cable, Female	146
C37FF-3	3' 37 Conductor Ribbon Cable, Female Connectors Each End	51

C37FF-4	37 Cond ribbon cable - 4 Foot	53
C37FF-5	5' 37 Conductor Ribbon Cable, Female Connectors Each End	59
C37FF-50	50' 37 Conductor Ribbon Cable, Female	180
C37FFS-10	10' 37 Conductor Cable, Shielded Cable Molded Female Connectors	73
C37FFS-5	5' 37 Conductor Cable, Shielded Cable, Molded Female Connectors	59
C37FM-1	1' 37 Pin Male to Female Ribbon CBL	45
C37FM-10	10' 37 Pin Male to Female Ribbon CBL	80
C37FM-15	15' 37 Pin Male to Female Ribbon CBL	104
C37FM-2	2' 37 Conductor Ribbon Cable, Female Connector 1 End, Male 1 On Other	45
C37FM-20	20' 37 Pin Male to Female Ribbon C	125
C37FM-25	25' 37 Pin Male to Female Ribbon C	146
C37FM-3	3' 37 PIN CABLE W/ MALE TO FEMALE CONN.	51
C37FM-4	4' 37 PIN CABLE W/ MALE TO FEMALE CONN.	53
C37FM-5	5' 37 PIN D MALE TO FEMALE RIBBON CABLE	59
C37FM-50	50' 37 Pin Male to Female Ribbon C	180
C37MM-1	1' Male to Male 37 Pin D Sub	45
C37MM-10	10' Male to Male 37 Pin D Sub	80
C37MM-15	15' Male to Male 37 Pin D Sub	104
C37MM-2	2' Male to Male 37 Pin D Sub	45
C37MM-20	20' Male to Male 37 Pin D Sub	125
C37MM-25	25' Male to Male 37 Pin D Sub	146
C37MM-3	3' Male to Male 37 Pin D Sub	51
C37MM-4	4' Male to Male 37 Pin D Sub	53
C37MM-5	5' 37 Conductor Ribbon Cable, Male Connectors Each End	59
C37MM-50	50' 37 Conductor Ribbon Cable, Male Connectors Each End	180
C40-37F-1	40 Pin IDC to 37 Pin Female DSub - 1 Ft. Long	45
C40-37F-10	40 Pin IDC to 37 Pin Female DSub - 10 Ft. Long	80
C40-37F-15	40 Pin IDC to 37 Pin Female DSub - 15 Ft. Long	104
C40-37F-2	40 Pin IDC to 37 Pin Female DSub - 2 Ft. Long	45
C40-37F-20	40 Pin IDC to 37 Pin Female DSub - 20 Ft. Long	125
C40-37F-25	40 Pin IDC to 37 Pin Female DSub - 25 Ft. Long	146
C40-37F-3	40 Pin IDC to 37 Pin Female DSub - 3 Ft. Long	51
C40-37F-4	40 Pin IDC to 37 Pin Female DSub - 4 Ft. Long	53
C40-37F-5	40 Pin IDC to 37 Pin Female DSub - 5 Ft. Long	59
C40-37F-50	40 Pin IDC to 37 Pin Female DSub - 50 Ft. Long	180
C40F-37M-1	1 Foot 40 Pin Female to 37 Pin Male Cable	45
C40F-37M-10	10 Foot 40 Pin Female to 37 Pin Male Cable	80
C40F-37M-15	15 Foot 40 Pin Female to 37 Pin Male Cable	104
C40F-37M-2	2 Foot 40 Pin Female to 37 Pin Male Cable	45
C40F-37M-20	20 Foot 40 Pin Female to 37 Pin Male Cable	125
C40F-37M-25	25 Foot 40 Pin Female to 37 Pin Male Cable	146
C40F-37M-3	3 Foot 40 Pin Female to 37 Pin Male Cable	51
C40F-37M-4	4 Foot 40 Pin Female to 37 Pin Male Cable	53
C40F-37M-5	5 Foot 40 Pin Female to 37 Pin Male Cable	59
C40F-37M-50	50 Foot 40 Pin Female to 37 Pin Male Cable	180
C40FF-1	1' 40 Conductor Ribbon Cable, Female both ends	45
C40FF-10	10' 40 Conductor Ribbon Cable, Female both ends	80
C40FF-15	15' 40 Conductor Ribbon Cable, Female both ends	104
C40FF-2	2' 40 Conductor Ribbon Cable, Female both ends	45
C40FF-20	20' 40 Conductor Ribbon Cable, Female both ends	125

C40FF-25	25' 40 Conductor Ribbon Cable, Female both ends	146
C40FF-3	3' 40 Conductor Ribbon Cable, Female both ends	51
C40FF-4	4' 40 Conductor Ribbon Cable, Female both ends	53
C40FF-5	5'0 Conductor Ribbon Cable, Female both ends	59
C40FF-50	50' 40 Conductor Ribbon Cable, Female both ends	180
C488-1M	1 Meter IEE-488 Cable	77
C488-2M	2 Meter IEEE-488 Cable	88
C50-37F-1	50 Pin IDC to 37 Pin Female DSub - 1 Ft. Long	45
C50-37F-10	50 Pin IDC to 37 Pin Female DSub - 10 Ft. Long	80
C50-37F-15	50 Pin IDC to 37 Pin Female DSub - 15 Ft. Long	104
C50-37F-2	50 Pin IDC to 37 Pin Female DSub - 2 Ft. Long	45
C50-37F-20	50 Pin IDC to 37 Pin Female DSub - 20 Ft. Long	125
C50-37F-25	50 Pin IDC to 37 Pin Female DSub - 25 Ft. Long	146
C50-37F-3	50 Pin IDC to 37 Pin Female DSub - 3 Ft. Long	51
C50-37F-4	50 Pin IDC to 37 Pin Female DSub - 4 Ft. Long	53
C50-37F-5	50 Pin IDC to 37 Pin Female DSub - 5 Ft. Long	59
C50-37F-50	50 Pin IDC to 37 Pin Female DSub - 50 Ft. Long	180
C50FE-1	1' 50 CONDUCTOR RIBBON CABLE	45
C50FE-10	10' 50 CONDUCTOR RIBBON CABLE	80
C50FE-15	15' 50 CONDUCTOR RIBBON CABLE	104
C50FE-2	2' 50 Conductor Ribbon Cable	45
C50FE-20	20' 50 Conductor Ribbon Cable	125
C50FE-25	25' 50 CONDUCTOR RIBBON CABLE	146
C50FE-3	3' 50 Conductor Ribbon Cable	51
C50FE-4	4' 50 CONDUCTOR RIBBON CABLE	53
C50FE-5	5' 50 Conductor Ribbon Cable	59
C50FE-50	50' 50 Conductor Ribbon Cable	180
C50FF-1	1 Foot 50 pin IDC Female to Female Cable	45
C50FF-10	10' 50 Conductor Ribbon Cable, Female Connectors Each End	80
C50FF-15	15' 50 PIN RIB. CABLE, FEMALE TO FEMALE	104
C50FF-2	2' 50 Conductor Ribbon Cable, Female Connectors Each End	45
C50FF-20	20' 50 Conductor Ribbon Cable Female	125
C50FF-25	25' 50 Conductor Ribbon Cable Female	146
C50FF-3	3' 50 Conductor Ribbon Cable, Female Connectors Each End	51
C50FF-4	4' 50 Conductor Ribbon Cable, Female Connectors Each End	53
C50FF-5	5' 50 Conductor Cable, Female Connectors	59
C50FF-50	50' 50 Conductor Ribbon Cable Female	180
C68-MMS-3	68 conductor shielded cable- 3 feet long	117
C68-MMS-6	68 conductor shielded cable- 6 feet long	160
C9FF-10	9-pin F to 9-pin F cable 10 ft	29
C9FM-10	9-pin M to 9-pin F cable 10 ft	29
C9FM-25	9-pin M to 9-pin F cable 25 ft	45
C9FM-50	9-pin M to 9-pin F cable 50 ft	66
C9MM-10	9-pin M to 9-pin M cable 10 ft	29
CA-1	A/C line cord for TR-2U	21
*** Note *** IOtech		
CA-106	CABLE, ASSEMBLY, RIBBON, DIGITAL488/OEM/32	84
*** Note *** IOtech		
CA-115	CABLE, 5 PIN MALE DIN TO 5 PIN MALE DIN x 6" LG. (DBK30)	84
*** Note *** IOtech		

CA-116	CABLE, 5 PIN DIN TO AUTOMOBILE CIG. LIGHTER PLUG 96" LG.	84
*** Note *** IOtech		
CA-132	CABLE, USER INPUT FOR DBK43, 8 PIECE KIT OF 281-0018	169
*** Note *** IOtech		
CA-134	CABLE, DAQ PCMCIA TO DBK,2', WITH GENDER CHANGER	169
*** Note *** IOtech		
CA-143-18	CABLE, RIBBON ASSEMBLY,18 INCH SHIELDED,37PIN FEMALE TO SAME	112
*** Note *** IOtech		
CA-148	CABLE, MODEL # XLSS-58 200cm, MULTI-CONTACT-USA #67.9770.200	112
*** Note *** IOtech		
CA-150-1	CE KIT, 1 CABLE AND 2 O-RINGS	153
*** Note *** IOtech		
CA-150-8	CE KIT,8 CABLES AND 16 O-RINGS	702
*** Note *** IOtech		
CA-161	CABLE, SAFETY BANANA W/ PROBE TIP, FOR CHARTSCAN	139
*** Note *** IOtech		
CA-169	CABLE, 5 PIN LOCKING DIN TO 5 PIN LOCKING DIN	139
*** Note *** IOtech		
CA-170	CABLE,5 PIN LOCKING DIN TO DIN , FOR THIS PART USE 461-0751	112
*** Note *** IOtech		
CA-171	CABLE,CIG LIGHTER TO 5 PIN DIN , FOR THIS PART USE 461-0753	112
*** Note *** IOtech		
CA-172	CABLE, CIG. LIGHTER UNTERM. SAFCO# #6 WITH 8' WIRE	84
*** Note *** IOtech		
CA-173	CABLE, CUSTOM 9D TO RJ12 PLUG 6 FT RETRACTABLE	131
*** Note *** IOtech		
CA-178	CABLE ASSY, EXTERNAL CLOCK WAVEBOOK/516	69
*** Note *** IOtech		
CA-179-1	CABLE,USB,HIGH-SPEED,A-B 1 METER PC094-03	55
*** Note *** IOtech		
CA-179-3	CABLE,USB,HIGH-SPEED,A-B 3 METERS PC094-10	84
*** Note *** IOtech		
CA-179-5	CABLE,USB,HIGH-SPEED,A-B 5 METERS PC094-15	98
*** Note *** IOtech		
CA-192-7C	CABLE,CROSS-OVER,CAT6,500MHz, 7FT, RED W/BOOTS	46
*** Note *** IOtech		
CA-195	CABLE ASSY, DAQBOARD/2000 EXPANSION/INTERFACE CABLE	132
*** Note *** IOtech		
CA-195-1	CABLE ASSY, DAQBOARD/2000, EXPANSION, 8 IN LONG	133
*** Note *** IOtech		
CA-195-6	CABLE ASSY,DAQBOARD/2000 6 FT EXPANSION/INTERFACE CABLE	153
*** Note *** IOtech		
CA-208	CABLE ASSEMBLY, ANALOG INPUTS DBK70	169
*** Note *** IOtech		
CA-208-3	CABLE ASSY, ANALOG INPUTS DSUB25M TO BNC X 8	169
*** Note *** IOtech		
CA-209	CE CABLE KIT DAQBOARD/2000	235
*** Note *** IOtech		
CA-210	CABLE, AUTO NETWORK INTERFACE DBK70	147
*** Note *** IOtech		

CA-216	Optional EURO line cord for TR-2U power supply	35
CA-218	CABLE, DBK70 CAN INTERFACE, J1939 COMPLIANT	169
*** Note *** IOtech		
CA-239	CABLE,HD44 EXTENDER, 3 FT LG, HD44M TO HD44F, FOR DBK83	69
*** Note *** IOtech		
CA-242	CABLE,ENET PATCH,CAT5E,1.5FT, SHIELDED,24/26AWG,BLACK	42
*** Note *** IOtech		
CA-242-7	CABLE,ENET PATCH,CAT5E,7 FT, SHIELDED,24/26AWG,BLACK	46
*** Note *** IOtech		
CA-248	CABLE, 40 POS HEADER TO MALE DB-37, RIBBON	42
*** Note *** IOtech		
CA-255-2T	2" BLACK, MOLDED, T-CABLE KIT	111
*** Note *** IOtech		
CA-255-4T	4" BLACK,MOLDED, T-CABLE KIT	111
*** Note *** IOtech		
CA-255-8T	8" BLACK,MOLDED,T-CABLE KIT	111
*** Note *** IOtech		
CA-266-3	CABLE, HDMI TO DB25, 3 FT, FOR PDQ30	84
*** Note *** IOtech		
CA-266-6	CABLE, HDMI TO DB25, 6 FT, FOR PDQ30	98
*** Note *** IOtech		
CA-272-01	CABLE ASSY,MODULAR,RJ-50 TO RJ-50, Thin Profile,QTY 4	55
*** Note *** IOtech		
CA-35-1	CABLE, DB25M TO DB25M @ 18" FOR TEMPSCAN/MULTISCAN	84
*** Note *** IOtech		
CA-35-2	CABLE, DB25M TO DB25F 2 FT, 1284 COMPLIANT LPT	115
*** Note *** IOtech		
CA-35-6	CABLE, DB25M TO DB25F 6 FT, 1284 COMPLIANT LPT	167
*** Note *** IOtech		
CA-37-1	CABLE, EXPANSION CARD CONNECT. (1) EXPANSION CARD	84
*** Note *** IOtech		
CA-37-1T	2.5" T-CABLE KIT	111
*** Note *** IOtech		
CA-37-2	CABLE, EXPANSION CARD CONNECT. (2) EXPANSION CARDS	111
*** Note *** IOtech		
CA-37-3	CABLE, EXPANSION CARD CONNECT. (3) EXPANSION CARDS	125
*** Note *** IOtech		
CA-37-3T	4.0" T-CABLE KIT	111
*** Note *** IOtech		
CA-37-4	CABLE, EXPANSION CARD CONNECT. (4) EXPANSION CARDS	139
*** Note *** IOtech		
CA-37-4T	5.5" T-CABLE KIT	112
*** Note *** IOtech		
CA-37-5	CABLE, EXPANSION CARD CONNECT. (5) EXPANSION CARDS	153
*** Note *** IOtech		
CA-37-6	CABLE, EXPANSION CARD CONNECT. (6) EXPANSION CARDS	167
*** Note *** IOtech		
CA-37-7	CABLE, EXPANSION CARD CONNECT. (7) EXPANSION CARDS	185
*** Note *** IOtech		
CA-37-8	CABLE, EXPANSION CARD CONNECT. (8) EXPANSION CARDS	205

*** Note *** IOtech		
CA-37-8T	11.5" T-CABLE KIT	139
*** Note *** IOtech		
CA-47	CABLE, PC/AT/XT NULL-MODEM SERIAL	84
*** Note *** IOtech		
CA-68-3R	68-conductor ribbon cable, 3-feet for PCI-2500 Series	111
CA-68-3S	68-conductor shielded cable, 3-feet for PCI-2500 Series	147
CA-68-6S	68-conductor shielded cable, 6-feet for PCI-2500 Series	169
CA-7-3	CABLE, 2 METER SHIELDED IEEE GD-024M	185
*** Note *** IOtech		
CA-74-1	CABLE,RJ-12,6 CONDUCTOR, 1 FT,	69
*** Note *** IOtech		
CA-7-5	CABLE, 1 METER SHIELDED IEEE	153
*** Note *** IOtech		
CA-8-50	CABLE, 50 CONDUCTOR RIBBON W/ CARD EDGE CONNECTOR (3M CORP)	84
*** Note *** IOtech		
CA-88	CABLE, 6' 50 pin D-Shll Ribbon INTERFACE FOR DIGITAL488/80A	84
*** Note *** IOtech		
CA-96A	USB-1616HS/-2/-4 to AI-EXP48 cable, 2 ft.	139
CABLE-4-20mA	input cable; measures 0 - 20.1 mA; 18.5 in.	41
CABLE-ADAP10	voltage input adapter cable; measures 0 - 10 VDC; 6.3 ft	27
*** Note ***		
CABLE-ADAP24	voltage input adapter cable; measures 0 - 24 VDC; 6.3 ft	27
CABLE-ADAP5	voltage input adapter cable; measures 0 - 5 VDC; 6.3 ft	27
*** Note ***		
CA-G55	CABLE,SCSI III,68 PIN, 3 FOOT, DAQBOARD SERIES	112
*** Note *** IOtech		
CA-G56	CABLE,SCSI III,68 PIN,SHIELDED ,3 FOOT, DAQBOARD SERIES	153
*** Note *** IOtech		
CA-G56-6	CABLE,SCSI III,68 PIN,SHLD,6', FOR DAQBOARD SERIES	177
*** Note *** IOtech		
CB-7011	Single Channel Thermocouple Input Module	274
CB-7011D	Single Channel Thermocouple Input Module with LED display	329
CB-7012	Single Channel Voltage or 4-20 mA Input Module	274
CB-7012D	Single Channel Voltage or 4-20 mA Input Module with LED display	329
CB-7013	Single Channel RTD Input Module	298
CB-7013D	Single Channel RTD Input Module with LED display	353
CB-7017	8 Channel Voltage or +-20 mA Input Module	274
CB-7018	8 Channel Thermocouple Input Module	284
CB-7018P	8 Channel Thermocouple Input Module Extended Temp Range for Type K TC	298
CB-7021	Single Channel Analog Voltage or Current Output Module	265
CB-7024	4 Channel Analog Voltage or Current Output Module	373
CB-7033	3 Channel RTD Input Module	343
CB-7041	14-Bit Isolated Input Modules (Inputs have common ground)	152
CB-7042	13-Bit Isolated Open Collector Output Module	152
CB-7043	16-Bit Non-Isolated Open Collector Output Module	152
CB-7044	Isolated Digital I/O Module,4 Input, 8 Output	164
CB-7050	15-Bit Digital I/O Module,7-Bits Input, 8-Bits Output	209
CB-7052	Isolated 8-Bit Digital Input Module	209
CB-7053	16-Bit Contact Monitoring Digital Input Module	152

CB-7060	4 Relay Output Module (2 Form A NO.2 Form C) with 1 Digital Input	164
CB-7063	3 Channel Relay Output Module with 8 Digital Inputs	176
CB-7063A	AC Solid-state Relay Output Module with 8 Digital Inputs	235
CB-7063B	DC Solid-state Relay Output Module with 8 Digital Inputs	235
CB-7067	7 Relay Output Module (all Form A NO)	186
CB-7080	2 Channel 32-Bit Counter/Frequency Input Module	215
CB-7080D	2 Channel 32-Bit Counter/Frequency Input Module with LED display	274
CB-7510	Isolated RS-485 Repeater for use with CB-COM series	160
CB-7520	Isolated RS-232 to RS-485 Converter for use with CB-COM series	146
CB-ACE-540A	24 VDC/2A Panel Mount Power Supply	146
CB-COM/STB10	10 Position detachable screw terminal block for use with CB-COM modules	8
CB-DIN-540A	24 VDC/2A DIN Rail Mount Power Supply	186
CB-IKIT-02/AC110	Pre Wired,CB-7012D Based,A/D Evaluation Kit, 120VAC powered	304
CB-IKIT-02/AC220	Pre Wired, CB-7012D Based,A/D Evaluation Kit, 220VAC powered	304
CB-IKIT-06/AC110	Pre Wired,Multi-Module Evaluation Kit, 120VAC powered.	776
CB-IKIT-06/AC220	Pre Wired, Multi-Module Evaluation Kit, 220VAC powered	776
CB-NAP-7000D	DDE Application Development Kit	73
CB-NAP-7000P	DLL for Windows 3.1/95/NT	73
CB-PWR-24/110V	110 VAC,24 VDC direct plug-in power supply	44
CB-PWR-24/220V	220 VAC, 24 VDC power direct plug-in power supply	44
CB-PWR-24/230	230VAC 24VDC power direct plug-in	44
CB-PWR-9	9 Volt 1 Amp DC Power Supply, 110 VAC input	22
CB-PWR-9V3A	Spare 9 volt, 3 AMP power supply for USB-1096HFS	73
CB-RM-116	16- channel power relay module 1 form C	245
CB-RM-216	16-channel power relay module 2 form C	314
CDS-14-2	DAQ SYNC CABLE FOR 2 BOARDS	21
CDS-14-3	DAQ SYNC CABLE FOR 3 BOARDS	24
CDS-14-4	DAQ SYNC CABLE FOR 4 BOARDS	27
CDS-14-5	DAQ SYNC CABLE FOR 5 BOARDS	28
C-EXP2DAS16-10	10' 37 Cond. Shielded, CIO-AD16 to 1st CIO-MUX only.	59
CIO-COM422	RS232, RS422 & Current Loop Interface Single Channel Card	156
CIO-COM422/550	COM 1-4, RS232, RS422, ILOOP W/ 16550	186
CIO-COM485	COM485 Interface	156
CIO-DAC02	2 Channel D/A Voltage or Current Output	432
CIO-DAC02/16	2 Channel 16 Bit Analog Voltage Output for ISA Bus	648
CIO-DAC08	8 CHANNEL, 12 BIT D/A BOARD	1297
CIO-DAC08/16	8 Channel 16 Bit Analog Voltage Output for ISA Bus	1995
CIO-DAC08-I	8 CHANNEL, 4-20 mA 12 BIT D/A BRD	1297
CIO-DAC16	16 CHANNEL, 12 BIT D/A BOARD	2054
CIO-DAC16/16	16 Channel 16 Bit Analog Voltage Output for ISA Bus	3509
CIO-DAC16-I	16 CHANNEL, 4-20 mA 12 BIT D/A BRD	2162
CIO-DAS08	8 Ch A/D, 3 CTR, 31 DIO	540
CIO-DAS08/JR	8 Channel 12 bit A/D, low cost	324
CIO-DAS08/JR-AO	8 Chan 12bit AD, 2 CHAN 12BIT DA LO COST	432
CIO-DAS08-AOH	8 CH A/D, 2 CH D/A, 3 CTR, 7 DIO PROGRAMMABLE GAINS OF 1,10,100,1000	1012
CIO-DAS08-AOL	8 CH A/D, 2 CH D/A, 3 CTR, 7 DIO PROGRAMMABLE GAINS OF 1,2,4,8	1012
CIO-DAS08-AOM	8 CH A/D, 2 CH A/D, 3 CTR, 7 DIO METRABYTE COMPATIBLE RANGES	1012
CIO-DAS08-PGH	8 Ch A/D, 3 CTR, 31 DIO PROGRAMMABLE GAINS OF 1,10,100,1000	884
CIO-DAS08-PGL	8 Ch A/D, 3 CTR, 31 DIO PROGRAMMABLE GAINS OF 1, 2, 4 & 8	884
CIO-DAS08-PGM	8 Ch A/D, 3 CTR, 31 DIO METRABYTE COMPATIBLE GAINS	884

CIO-DAS16/330	16 Ch A/D @ 330KHz, 3 CTR, DT CONNECT INTERFACE	1621
CIO-DAS16/M1	16 Channel, 12 Bit, 1 MHZ A/D	2379
CIO-DAS48-I	24 Chan 12 bit A/D board configured & calibrated for 4-20mA input operation	1012
CIO-DAS48-PGA	48 SE, 24 DI or 24 4-20mA A/D Input BRD with Software Programmable Gain	1012
CIO-DAS800	Medium speed, 8 chan, 12 bit A/D w/ FIFO +/- 5 volt, 3 CTR, 7 DIO	756
CIO-DAS801	Medium speed, 8 chan, 12 bit A/D w/ FIFO Gains 1,10,100,1000, 3 CTR, 7 DIO	864
CIO-DAS802	Medium speed, 8 chan, 12 bit A/D w/ FIFO Gains 1,2,4,8, 3 CTR, 7 DIO	864
CIO-DAS802/16	8 Channel 100KHz A/D Prog Gain 7 Digital I/O, 3 Counters	1140
CIO-DAS-TEMP	32 Channel Semiconductor Temperature Sensor Board for AD592 Sensors	776
CIO-DDA06	6 Channel, 12 bit D/A, 24 bit digital I/O interface board.	884
CIO-DDA06/16	6 Channel, 16 Bit D/A with 24 DIO	1730
CIO-DDA06/JR	6 Chan, 12 Bit, +/-5V D/A (2installed) with 24 High Drive DIO	441
CIO-DI192	192 Line in only TTL level, 4 50P CONN	441
CIO-DI48	48 Line in only TTL level, 1 50P CONN	225
CIO-DI96	96 Line in only TTL level, 2 50P CONN	324
CIO-DIO192	192 CH DIGITAL I/O, 8255 BASED	550
CIO-DIO24	24 Digital I/O TTL Level	196
CIO-DIO24/24H	48 Digital as 24 Digital I/O TTL Level, 24 Digital Output High Drive	304
CIO-DIO24/CTR3	24 Chan DIO(8255) with 3 Counters(8254)	284
CIO-DIO24H	24 Digital I/O High drive inputs&outputs	215
CIO-DIO48	48 CHANNEL DIGITAL I/O TTL LEVEL	225
CIO-DIO48H	48 Chan I/O TTL compatible w/ 64mA drive	324
CIO-DIO96	96 Digital I/O TTL Level	324
CIO-DISO48	48 Channels of isolated Din 500v	884
CIO-DO192H	192 Line out only hi drive (64 mA) 4 50 pin Connector	658
CIO-DO24DD	24 Line out only hi V (50V,500mA) 1 50 pin Connector	284
CIO-DO48DD	48 Line out only hi V (50V,500mA) 2 50 pin Connector	382
CIO-DO48H	48 Line out only hi drive (64 mA) 1 50 pin Connector	324
CIO-DO96H	96 Line out only hi drive (64 mA) 2 50 pin Connector	441
CIO-DUAL422	Two Channel RS-422 Interface Board For Personal Computers	176
CIO-DUAL422/550	Dual Channel RS-422 with 16550 UART	225
CIO-DUAL-AC5	Standard Opto Rack Driver Board 48 Chan of High Drive Digital I/O	324
CIO-DUAL-DAC	2 Channel D/A option, 24 pin narrow dip	97
CIO-ERB08	8 CHANNEL RELAY ACC FOR THE DIO24	195
CIO-ERB08/DST	8 Form C 6 Amp relays 37 pin for CIO-DIO 24 series detachable screw terminals	186
CIO-ERB24	24 Channel Electromechanical Relay Accessory for Digital I/O Boards	304
CIO-ERB24/DST	24 Form C 6 Amp relays 37 and 50 pin for all CIO-DIO detachable screw terminals	392
CIO-ERB48	48 Form C, 6 Amp Relays, 50 Pin Conn	422
CIO-ERB48/DST	48 Form C 6 Amp relays 50 pin for DIO 48 96 and 192 detachable screw terminals	589
CIO-EXP16	16 Channel Analog Multiplexor with Gain Amp & CJC	363
CIO-EXP16/DST	16 Channel Differential Input Mux with Gains and CJC detachabl screw terminals	422
CIO-EXP32	32 Channel Analog Multiplexor with 2 Gain Amps & CJC	471
CIO-EXP32/DST	32 Channel Differential Input Mux with Gains and CJC detachable screw terminals	589
CIO-EXP-RES-1000	1000 OHM, 0.1%, 5ppm Bridge Completion Resistor	8
CIO-EXP-RES-120	120 OHM, 0.1%, 5ppm Bridge Completion Resistor	8
CIO-EXP-RES-350	350 OHM, 0.1%, 5ppm Bridge Completion Resistor	8
CIO-INT32	32 Bit Interrupt Vector input or 40 DIO or 6 16 bit Counters	294
CIO-MINI25	25 Pin Universal Screw Terminal Acc.	125
CIO-MINI25/DST	Universail screw terminal board 25-pin detachable screw terminals	181
CIO-MINI37	4" x 4" Universal Screw Terminal	125

CIO-MINI37/DST	Universal screw terminal board 37-pin detachable screw terminals	181
CIO-MINI37-VERT	37 Pin Screw Terminal accessory with vertical 37 Pin D Male Connector.	125
CIO-MINI37-VERTDST	Universal screw terminal board vertical 37-pin detachable screw terminals	181
CIO-MINI40	40 Pin Universal Screw Terminal Accessory	125
CIO-MINI40/DST	Universal screw terminal board 40-pin detachable screw terminals	181
CIO-MINI50	50 Pin Universal Screw Terminal Acc.	125
CIO-MINI50/DST	Universal screw terminal board 50-pin detachable screw terminals	181
CIO-MINI68	68 pin universal screw terminal board	125
CIO-PDISO16	16 Relays, 16 Isolated(500V) inputs, 2 50 Pin Connectors	658
CIO-PDISO8	Digital I/O. 8 isolated inputs & 8 SPDT relays.	441
CIO-PDMA16	High Speed 16 Bit Digital I/O	441
CIO-PG408	DC/DC Converter .5V in +/-15V out for CIO-MUX	63
CIO-RELAY08	8 Electromechanical Relay Board Form C	324
CIO-RELAY16	16 Electromechanical Relay Board Form C	441
CIO-RELAY32	32 Electromechanical Relay Board Form C	658
CIO-SERB08	8 Form C 10 A socketed relays 37 pin connectors for all CIO-DIO-24 series	186
CIO-SERB08/DST	8 Form C 10 A socketed relays 37 pin connectors detachable screw terminals	215
CIO-SERB24/FD	24 Form C 10 A socketed relays 37/50 pin fault detecting	363
CIO-SERB24/FD/DST	24 Form C 10 A socketed relay 37/50 pin fault detect detachable screw terminals	461
CIO-SERB48	48 Form C 10 A socketed relays 50 pin connectors for DIO 48 96 and 192	540
CIO-SERB48/DST	48 Form C 10 A socketed relays 50 pin connectors detachable screw terminals	707
CIO-SSH16/DST	16 Channel Simultaneous S and H 4 Chan Installed detachable screw terminals	559
CIO-SSH-AMP	Additional Amplifier and Sample & Hold chip set for SSH16	69
CIO-SSH-AMP-ET	Extended Temp Version of SSH-AMP OpTemp -30 to 60C, STemp -165 to 150C	139
CIO-STA08	Screw terminal board for CIO-AD08 only. Indicator LEDs & nomenclature. MBC size	139
CIO-STA-TC	Screw Term Accessory for DAS-TC series incl case isothermal bar & CJC sensor	156
CIO-TERM100	16" X 4" Screw Terminal for CIO-DIO96, 100 Terminals	176
CIO-TERM100/DST	Universal screw terminal prototyping area 50-pin detachable screw terminals	304
CIO-TERMINAL	16" X 4" Universal Screw Terminal with Prototype Area & Circuitry	167
CIO-TERMINAL/DST	Universal screw terminal prototyping area 37-pin detachable screw terminals	186
C-MAPWR-2	2 foot, daisy-chain cable for USB interfaces with HUB	7
C-MAPWR-3	3 foot, daisy-chain cable for USB interfaces with HUB	7
C-MAPWR-6	6 foot, daisy-chain power cable for USB interfaces with HUB	7
CN-115	PLUG,ADAPTER,16 PIN, DIP 0.3", SAMTEC APA-316-G-C	13
*** Note *** IOtech		
CN-115-1	INTERNAL BCR ADAPTER FOR WBK16 AND STRAINBOOK/616	41
*** Note *** IOtech		
CN-144-JM	CONN,TYPE J, MALE, OMEGA # SMPW-J-M	7
*** Note *** IOtech		
CN-144-KM	CONN,TYPE K, MALE, OMEGA # MPJ-K-M	7
*** Note *** IOtech		
CN-144-TM	CONN,TYPE T, MALE, OMEGA # SMPW-T-M	7
*** Note *** IOtech		
CN-144-UM	CONN,COPPER-COPPER,MALE, OMEGA # SMP-U-M	7
*** Note *** IOtech		
CN-153-12	Terminals blocks for USB-1616HS products	41
*** Note *** IOtech		
CN-189	CONNECTOR/ADAPTOR, DB9 TO SCREW TERMINAL	69
*** Note *** IOtech		
CN-20	CONN, ADAPTER, IEEE, RT-ANGLE,	84

*** Note *** IOtech		
CN-21	CONNECTOR,IEEE EXT ADAPTER	84
*** Note *** IOtech		
CN-23	CONN,IEEE,PANEL MTG,FEED THRU,	98
*** Note *** IOtech		
CN-268	ACCESSORY,RJ50, 12 PIN SCREW TERMINAL, QTY 4	206
*** Note *** IOtech		
CN-269	ACCESSORY,120 OHM QUARTER BRIDGE, QTY 4	206
*** Note *** IOtech		
CN-270	ACCESSORY, 350 OHM QUARTER BRIDGE, QTY 4	206
*** Note *** IOtech		
CN-40-12	TERM STRIP, 12 POS, PLUG, PHOENIX MSTB 1.5,08/12-STZ	41
*** Note *** IOtech		
CN-6-20	CONN, 20 CONDUCTOR, .1", EDAC # 342-020-500-201	41
*** Note *** IOtech		
CN-6-50	CONN, 50 CONDUCTOR, .1", EDAC # 342-050-500-201	41
*** Note *** IOtech		
CN-71	TERM BLOCK, DBK42,	169
*** Note *** IOtech		
CN-72	TERM BLOCK, DBK42, DELUXE,	422
*** Note *** IOtech		
CPCC-50F-39	50 Pin Micro to 50 Pin Female IDC 39 inches	160
CPCC-50M-4	50 Pin Micro to 50 Pin Male IDC 4 inches	160
C-PCPOWER-10	10' 2 Conductor optional power cable for use with the MUX32 & MUX16	28
C-PCPOWER-2M	PPIO to Bus Mouse Power Conn. Adapter	28
C-PCPOWER-Y	CMOLEX Power Splitter Cable Adapter	28
CSN14/LV/T	16 CH. VOLTAGE MODULE WITH SCREW TERMINAL, CHARTSCAN/1400	756
*** Note *** IOtech		
C-USB2.0-2M	USB 2.0 Cable 2 Meter	10
DADP-5037	PCI-DAS to 37-Pin SSR & ERB Adaptor	44
DAQami	Easy-to-Use Advanced Data Logging Application - Acquire, View, and Log Data	139
DAQBD/3001USB	16-bit/1mHz DAQ USB board 16SE/8DICH, 4DAC, 24DIO, 6 C/T	1179
*** Note *** IOtech		
DAQBD/3005USB	16-bit/1mHz DAQ USB board 16SE/8DICH, 0DAC, 24DIO, 6 C/T	982
*** Note *** IOtech		
DAQBD/3031USB	16-bit/1mHz DAQ USB board 64SE/8DICH, 4DAC, 24DIO, 6 C/T	1376
*** Note *** IOtech		
DAQBD/3035USB	16-bit/1mHZ DAQ USB board 64SE/32DICH, ODAC, 24DIO, 6 C/T	1179
*** Note *** IOtech		
DAQBOARD/1000	PCI DAQ, 16 AI,24 DIO,6 C/T, 2 DACS, 68 PIN CONN	707
*** Note *** IOtech		
DAQBOARD/1005	PCI DAQ, 16 AI,24 DIO, 6 C/T, 68 PIN CONN	569
*** Note *** IOtech		
DAQBOARD/2000	FINAL ASSEMBLY DAQBOARD/2000	953
*** Note *** IOtech		
DAQBOARD/2001	FINAL ASSEMBLY DAQBOARD/2001	1376
*** Note *** IOtech		
DAQBOARD/2005	ANALOG INPUT,DIGITAL I/O NO ANALOG OUTPUT	815
*** Note *** IOtech		
DAQBOARD/3000	16 channel, 16 bit, 1 MHz, PCI DAQ with Programmable Ranges and 2 D/A's	972

*** Note *** IOtech		
DAQBOARD/3001	16 channel, 16 bit, 1 MHz, PCI DAQ with Programmable Ranges and 4 D/A's	1130
*** Note *** IOtech		
DAQBOARD/3005	16 channel, 16 bit, 1MHz, PCI DAQ with Programmable Ranges	953
*** Note *** IOtech		
DAQBOARD/3006	16 channel, 16 bit, 1 MHz, PCI DAQ	835
*** Note *** IOtech		
DAQBOOK/2001	16-BIT/200KHz DAQ SYSTEM,ENET, 16SE/8DI CH,4 DAC,40 DIO,6 C/T	3568
*** Note *** IOtech		
DAQBOOK/2005	16-BIT/200KHz DAQ SYSTEM,ENET, 16SE/8DI CH,40 DIO,6C/T	2969
*** Note *** IOtech		
DAQBOOK/2020	16-BIT/200Khz DAQ SYSTEM,ENET, 16 VCH,14TC,4CTR,2TMR,4DACS	5948
*** Note *** IOtech		
DAQLAB/2001	16-BIT/200KHz DAQ SYSTEM,ENET, 16SE/8DI CH,4 DAC,30 DIO,6 C/T	2379
*** Note *** IOtech		
DAQLAB/2005	16-BIT/200KHz DAQ SYSTEM,ENET, 16SE/8DI CH,30 DIO,6 C/T	2015
*** Note *** IOtech		
DAQOEM/2001	16-BIT/200KHz DAQ SYSTEM.ENET, 16SE/8DI CH,4 DAC,40 DIO,6 C/T	2162
*** Note *** IOtech		
DAQOEM/2005	16-BIT/200KHz DAQ SYSTEM,ENET, 16SE/8DI CH,40 DIO,6 C/T	1789
*** Note *** IOtech		
DAQSCAN/2001	16-BIT/200KHz DAQ SYSTEM,ENET, 16SE/8DI CH,4 DAC,40 DIO,6 C/T	2969
*** Note *** IOtech		
DAQSCAN/2005	16-BIT/200KHz DAQ SYSTEM,ENET, 16SE/8DI,40 DIO,6 C/T	2379
*** Note *** IOtech		
DAQTEMP/14A	TC/MULTIFUNCTION PACKAGE, PCI-BASED, 14 TC, 4 AOUT	1789
*** Note *** IOtech		
DAS-WIZARD	Easy to use Excel Add-in for Data Acquisition	209
DASY	1 GB Compact Flash Card for MCC Dataloggers	167
DASYLab Basic	Basic version. All drivers. All std mods (not Sig. Anal. & Actions),1 layout	1277
DASYLab Full	Full version. All drivers. With all std. mods., 200 layouts & sequence	1769
DASYLab Lite	Lite version. All drivers. Comes w/ analysis, limited mod. count, 1 layout	491
DASYLab Pro	Pro version. All drivers. Full version plus Analysis Toolkit option bundle	2457
DASYLab Runtime	Run-time license for DASYLab	441
DASYLAB SS FULL	DASYLab Full- One Year Software Subscript	176
DASYLab UPD BASIC	Update to latest Basic license	255
DASYLab UPD FULL	Update to latest Full license	353
DASYLab UPD LITE	Update to latest Lite license	139
DASYLab UPD PRO	Update to latest Pro license	491
DASYLab UPD RT	Update to latest run-time license	139
DASYLab UPGRB2F	Basic-to-Full Upgrade	540
DASYLab UPGRF2P	Full-to-Pro Upgrade	736
DASYLab UPGRL2B	Lite-to-Basic Upgrade	835
DBK1	BNC TERMINATION BOX FOR DAQBOOKS,DAQBOARDS & DAQS	638
*** Note *** IOtech		
DBK10	3 SLOT EXPANSION CARD ENCLOSURE	226
*** Note *** IOtech		
DBK11A	SCREW TERMINAL CARD WITH BNC CONNECTORS	206
*** Note *** IOtech		
DBK15	16 CH UNIVERSAL CURRENT VOLTAGE INPUT CARD (246-0400)	697

*** Note *** IOtech		
DBK16	2 CH STRAIN GAGE MEASUREMENT CARD (257-0400)	707
*** Note *** IOtech		
DBK17	4 CH SIMULANEOUS SAMPLE & HOLD CARD (1003-0402)	677
*** Note *** IOtech		
DBK18	4 CH LOW-PASS FILTER CARD BUTTERWORTH,CHEBYCHEV,BESSEL	677
*** Note *** IOtech		
DBK2	4 CHANNEL VOLTAGE OUTPUT CARD	697
*** Note *** IOtech		
DBK20	48 CH. DIG I/O CARD WITH SCREW-TERMINAL CONN. 232-0456	226
*** Note *** IOtech		
DBK200	ADAPTER BRD FOR DAQBOARD/2000 ANALOG ONLY	63
*** Note *** IOtech		
DBK202	SCREW TERMINAL ADAPTER BOARD FOR DAQBOARD/2000	215
*** Note *** IOtech		
DBK203A	SCREW TERMINAL ADAPTER MODULE FOR DAQBOARD/2000	432
*** Note *** IOtech		
DBK206	SCREW TERMINAL EXPANSION BD COMPATABLE WITH ALL DAQBOARDS	269
*** Note *** IOtech		
DBK207	5B TERMINATION/EXPANSION BD COMPATABLE WITH ALL DAQBOARDS	269
*** Note *** IOtech		
DBK207/CJC	5B TERMINATIOM/EXPANSION W/CJC COMPATABLE W/DAQBOARD 00,01,05	432
*** Note *** IOtech		
DBK208	OPTO-22 TERMINAL/EXPANSION BD COMPATIBLE WITH ALL DAQBOARDS	235
*** Note *** IOtech		
DBK209	DBK EXPANSION BD EXPANSION VIA P1,P2 P3	91
*** Note *** IOtech		
DBK21	48 CH. DIGITAL I/O CARD WITH MALE DB37 CONNECTORS	226
*** Note *** IOtech		
DBK210	GRAYHILL 70M-MINI MODULE 32 CHANNEL EXPANSION BOARD	432
*** Note *** IOtech		
DBK213	SCREW TERMINAL ADAPTER MODULE WITH 3 DBK CARD SLOTS	432
*** Note *** IOtech		
DBK214	16 CONNECTOR BNC INTERFACE MODULE	432
*** Note *** IOtech		
DBK215	16 Connector BNC Module	864
*** Note *** IOtech		
DBK23	24 CH OPTICALLY ISOLATED DIGITAL-INPUT MODULE	599
*** Note *** IOtech		
DBK24	24 CH OPTICALLY ISOLATED DIGITAL-OUTPUT MODULE	599
*** Note *** IOtech		
DBK25	8 CHANNEL RELAY OUTPUT CARD	599
*** Note *** IOtech		
DBK30A	RECHARGABLE BATTERY MODULE FOR DAQBOOK SERIES	697
*** Note *** IOtech		
DBK32A	+/-15V @ 500MA POWER SUPPLY WITH AC ADAPTER	697
*** Note *** IOtech		
DBK34A	DC TO DC UNINTERRUPTABLE POWER W/5PIN LOCK TO 5 PIN STD DIN	697
*** Note *** IOtech		
DBK4	2 CHANNEL PIEZOELECTRIC INPUT FOR ACCELEROMETERS	1081

*** Note *** IOtech		
DBK41	10-SLOT ANALOG EXPANSION ENCLOSURE	972
*** Note *** IOtech		
DBK41/CE	10-SLOT ANALOG EXPANSION EXCLOSURE FOR CE	1130
*** Note *** IOtech		
DBK42	16 CH 5B ISOLATED SIGNAL CONDITIONING MODULE	1081
*** Note *** IOtech		
DBK43A	8 CHANNEL STRAIN-GAGE MODULE WITH AC ADAPTER	2969
*** Note *** IOtech		
DBK43B	8 CHANNEL STRAIN-GAGE MODULE WITH AC ADAPTER,SCREW TERM I/O	3244
*** Note *** IOtech		
DBK44	2 CHANNEL 5B SIGNAL CONDITIONING CARD	343
*** Note *** IOtech		
DBK45	4-CHANNEL LOW PASS FILTER WITH SIMUL SAMPLE & HOLD CARD	972
*** Note *** IOtech		
DBK48	16 SLOT MULTIFUNCTION ISOLATED SIGNAL CONDITIONING MODULE	1297
*** Note *** IOtech		
DBK5	4 CHANNEL VOLTAGE OUTPUT CARD	559
*** Note *** IOtech		
DBK50	8 CH ISOLATED HIGH VOLTAGE INPUT MODULE WITH AC ADAPTER	2270
*** Note *** IOtech		
DBK51	8 CH ISOLATED LOW VOLTAGE INPUT MODULE WITH AC ADAPTER	2270
*** Note *** IOtech		
DBK55	8 CHANNEL FREQUENCY INPUT MODULE	1621
*** Note *** IOtech		
DBK60	3 SLOT EXPANSION MODULE WITH TERMINATION PANELS	697
*** Note *** IOtech		
DBK601	REAR PANEL,BLANK DBK60-DAQBOOK/260	46
*** Note *** IOtech		
DBK602	REAR PANEL,BNC DBK60,DAQBOOK/260	151
*** Note *** IOtech		
DBK604	REAR PANEL,SAFETY JACK, 2X8 DBK60,DAQBOOK/260	174
*** Note *** IOtech		
DBK605-J	REAR PANEL,J THERMOCOUPLE DBK60,DAQBOOK/260	162
*** Note *** IOtech		
DBK605-K	REAR PANEL,K THERMOCOUPLE DBK60,DAQBOOK/260	162
*** Note *** IOtech		
DBK605-T	REAR PANEL,T THERMOCOUPLE DBK60,DAQBOOK/260	162
*** Note *** IOtech		
DBK606	REAR PANEL,TERMINAL BLOCK DBK60,DAQBOOK/260	235
*** Note *** IOtech		
DBK608	REAR PANEL,DB37 DBK60,DAQBOOK/260	79
*** Note *** IOtech		
DBK65	8 CHANNEL TRANSDUCER INTERFACE MODULE	1081
*** Note *** IOtech		
DBK7	4 CH FREQUENCY INPUT CARD	805
*** Note *** IOtech		
DBK8	8 CH HIGH-VOLTAGE INPUT CARD	805
*** Note *** IOtech		
DBK80	16 CHANNEL DIFFERENTIAL VOLT, INPUT CARD	599

*** Note *** IOtech		
DBK81	7 CHANNEL TC/MV CARD, WITH SCREW TERMINALS	599
*** Note *** IOtech		
DBK82	14 CHANNEL TC/MV CARD, WITH SCREW TERMINALS	913
*** Note *** IOtech		
DBK83	14 CHANNEL TC/MV CARD W/POD-1, AND CABLE	1081
*** Note *** IOtech		
DBK84	14 CHANNEL TC/MV MODULE W/MINI TC CONNECTOR JACKS	1130
*** Note *** IOtech		
DBK85	16 CHANNEL DIFFERENTIAL VOLT INPUT MODULE	972
*** Note *** IOtech		
DBK9	8 CH RTD MEASUREMENT CARD	599
*** Note *** IOtech		
DBK90	56 CHANNEL TC MODULE, FOR DAQBOOK AND WBK40/41	1838
*** Note *** IOtech		
DFCON-37	Connector Kit, 37 crimp pins, D connector & shell	22
DIN-1	DIN RAIL MOUNTING KIT FOR DBK 206/207/207CJC/208/209	98
*** Note *** IOtech		
DIN-16X4	Din Rail Kit 4 inch wide by 16 inch long	97
DIN-17X4	Din Rail Kit 4 inch wide by 17 inch long	97
DIN-2	DIN RAIL MOUNTING KIT FOR DBK209	84
*** Note *** IOtech		
DIN-4X4	Din Rail Kit 4 inch wide by 4 inch long	52
DIN-9X4	Din Rail Kit 4 inch wide by 9 inch long	66
DIN-RAIL-10	10 inch standard TS35 x 7.5 slotted DIN rail	22
DIN-RAIL-17	17 inch standard TS35 x 7.5 slotted DIN rail	22
DIN-RAIL-18	18 inch standard TS35 x 7.5 slotted DIN rail	22
DIN-RAIL-39	1 Meter standard TS35 x 7.5 slotted DIN rail	22
DMCON-25	Connector kit, 25 pin crimp KIT C/O MULTIPLE PARTS	28
DR-IAC5	120 Volt AC/DC Isolated Input Module DIN Rail Mount, 5V Logic Levels	69
DR-IAC5A	240 Volt AC/DC Isolated Input Module DIN Rail Mount, 5V Logic Levels	56
DR-IDC5	5-28 Volt AC/DC Isolated Module DIN Rail Mount, 5V Logic Levels	56
DR-IDC5A	12-48 Volt AC/DC Isolated Input Module DIN Rail Mount, 5V Logic Levels	56
DRM	DIN-Rail Mounting kit for the USB-1616HS/-2/-4	62
DR-OAC	120/240 VAC Isolated Output Module 5 Volt Logic Levels	63
DR-ODC5	5-48 VDC Isolated Output Module 5 Volt Logic Levels	63
DST-12	Spare 12-terminal detachable screw term. 1 complete set included on /DST boards	15
DST-16	Spare 16-terminal detachable screw term. 1 complete set included on /DST boards	22
DST-4	Spare 4-terminal detachable screw term. 1 complete set included on /DST boards	8
DST-8	Spare 8-terminal detachable screw term. 1 complete set included on /DST boards	11
E-1608	Ethernet, 8-channel AI, 16-bit, 250 kS/s w/8 DIO, 1 counter and 2 16-bit AO	491
*** Note ***		
E-1608-OEM	OEM Ethernet, 8-channel AI, 16-bit, 250 kS/s w/8 DIO, 1 cntr & 2 16-bit AO	471
*** Note ***		
ENC-19X5X5	19" rack mount enc, 5" deep with plastic faceplate compatible with 4" wide boards	209
ENC-19X5X7	19" rack mount enc, 5" deep with plastic faceplate comp. with 4.5" & 4.8" wide bd	166
ENC-19X7X3	Acc enclosure 19"x17"x3" pre-drilled table mount or 19" rack mountable	160
ENC-MINI37	Plastic Enclosure for CIO-MINI37	52
ENC-MINI50	Plastic Enclosure for CIO-MINI50	52
E-PDISO16	16 relays, 16 hi-volt inputs, Ethernet Replaces PCI-PDISO16 w/screw terms.	569

ERTT-14	Enclosed 19" Table top rack, 14" vertical rack space	284
ERTT-23	Enclosed 19" table top rack, 22.75" vertical rack space	329
Europe Plug	Europe Plug for USB Power Adapter	14
EXP/10A	2-SLOT EXPANSION CHASSIS	904
*** Note *** IOtech		
EXP/11A	TEN-SLOT EXPANSION CHASSIS INCLUDING RACK KIT AND CABLE	2270
*** Note *** IOtech		
EXTENDER488	IEEE BUS EXTENDER FINAL ASSEMBLY	1297
*** Note *** IOtech		
EXTENDER488/F	FIBER OPTIC IEEE BUS EXTENDER FINAL ASSEMBLY	1385
*** Note *** IOtech		
Fdasy	MANUAL SET 1033, PROGRAMMER, DBK, DAQ2K SERIES	153
*** Note *** IOtech		
FM/USER	SET OF FOUR HEADER WITH COVER FOR DBK18 AND DBK45	48
*** Note *** IOtech		
FM100	100 HERTZ FILTER MODULE DBK18 (266-0452)	174
*** Note *** IOtech		
FM1000	1000 HERTZ FILTER MODULE DBK18 (266-0454)	174
*** Note *** IOtech		
FM500	500 HERTZ FILTER MODULE DBK18 (266-0453)	174
*** Note *** IOtech		
FP-0519	Replacement 5 1/2 inch plastic faceplate for ENC-19x5x5	35
FP-0719	Replacement 7 inch plastic faceplate for ENC-19x5x7	49
HA-111	HANDLE, SPLICE PLATE KIT	42
*** Note *** IOtech		
HA-210-5-BK	HANDLE SET, REGULAR, BLACK	42
*** Note *** IOtech		
HA-212	CARRY CASE, YELLOW HARDIGG STORM# IM2600-20002	451
*** Note *** IOtech		
ISO-5B04	2 Channel, Non-Multiplexed Backplane	90
ISO-5B30-01	+/- 10mV INPUT, +/- 5V OUTPUT Analog Isolation Module	152
ISO-5B30-02	+/- 50mV Input, +/-5V Output Analog Isolation Module	152
ISO-5B30-03	+/- 100mV Input, +/-5V Output Analog Isolation Module	152
ISO-5B30-04	+/- 10 mV Input, 0 to 5 volt Output Analog Isolation Module	152
ISO-5B30-05	+/- 50mV Input, 0 to 5 Volt Output Analog Isolation Module	152
ISO-5B30-06	+/- 100mV Input, 0 to 5 Volt Output Analog Isolation Module	152
ISO-5B31-01	+/- 1V Input, +/-5V Output Analog Isolation Module	152
ISO-5B31-02	+/- 5V Input, +/- 5V Output Analog Isolation Module	152
ISO-5B31-03	+/- 10V Input, +/- 5V Output Analog Isolation Module	152
ISO-5B31-04	+/- 1V Input, 0 To 5V Output Analog Isolation Module	152
ISO-5B31-05	+/- 5V Input, 0 To 5V Output Analog Isolation Module	152
ISO-5B31-06	+/- 10V Input, 0 To 5V Output Analog Isolation Module	152
ISO-5B31-07	+/- 20V Input, -/+ 5V Output	152
ISO-5B31-08	+/- 20V Input, 0V to +5V Output	152
ISO-5B31-09	-/+ 40V Input to -/+ 5V Output	152
ISO-5B31-10	-40V to +40V in, 0V to +5V out	152
ISO-5B32-01	4-20 mA Input, 0 To 5V Output Analog Isolation Module	152
ISO-5B32-02	0-20 mA Input, 0 To 5V Output Analog Isolation Module	152
ISO-5B33-01	5B-series 0-100mV Input, 0-5V Output Isolated True RMS Input Module	248
ISO-5B33-03C	5B-series 0-10V Input, 4-20mA Output Isolated True RMS Input Modules	248

ISO-5B33-05	5B-series 0-300V Input, 0-5V Output Isolated True RMS Input Module	248
ISO-5B33-06	5B-series 0-1A Input, 0-5V Output Isolated True RMS Input Modules	248
ISO-5B34-01	RTD (100 OHM) Input, 0 To 5 Output -100 TO +100C Analog Isolation Module	152
ISO-5B34-02	I0 To 100C Input, 0 To 5V Output 100 Ohm Platinum. Analog Isolation Modu	152
ISO-5B34-03	RTD (100 OHM) Input, 0 To 5V Output 0 To 200C Analog Isolation Module	152
ISO-5B34-04	RTD 100OHM Platinum 0 To 600C Input 0 To 5V Output, Analog Isolation Module	152
ISO-5B34-C-01	RTD 100 OHM Copper 0 To 120C Input 0 To 5V Output Analog Isolation Module	152
ISO-5B34-C-02	RTD 250OHM Copper 0 To 120C Input 0 To 5V Output Analog Isolation Module	152
ISO-5B34-N-01	RTD 120 OHM Nickel, 0 to 300C Input	152
ISO-5B35-01	100ohm RTD, +/-100C in, 0V to +5V Out	207
ISO-5B36-02	0 to 500 OHM in, 0V to +5V out	207
ISO-5B36-04	Analog Module- Potentiometer	207
ISO-5B37-B	B Type T-C 0 To 1800C Input, 0 To 5V Out Analog Isolation Module	152
ISO-5B37-C	Type C, +350C to +1300C In 0V to + 5V Out	152
ISO-5B37-E	E Type T-C 0 To 900C Input, 0 To 5V Out Analog Isolation Module	152
ISO-5B37-J	J Type T-C -100 To 760C Input, 0 To 5V Non-Linearized Analog Isolation Module	152
ISO-5B37-K	K Type -100 To +1350 Deg C, 0 To 5V Out No Linear Analog Isolation Module	152
ISO-5B37N	5B-series -100C to +1300C Input 0 to +5V Output, Thermocouple Module	152
iso-5b37-r	0 TO 1750 Degree C in, 0 to 5 volt out Analog Isolation Module	152
ISO-5B37-S	0 TO 1750 Deg C input, 0 to 5 volt out S Type Thermocouple Isolation Module	152
ISO-5B37-T03	Isolation module, Non Linearized T Type Thermocouple, -100C to +400C	152
ISO-5B38-01	5B-series 100 OHM to 10K OHM Input -/+ 5V Output, Isolation Module	182
ISO-5B38-02	Isolation module 10V Excitation Strain Gauge - FULL BRDG	182
ISO-5B38-03	Half Bridge Strain Gage input module 100 to 10k ohms in, -5 to +5 out	182
ISO-5B38-04	Isolation module 10V EXCITATION STRAIN GAUGE - HALF BRDG	182
ISO-5B38-05	Strain Guage input module. 10 V @ 2mV/V 300 to 10K in, -5 to +5 out	182
ISO-5B38-06	100 to 10K OHM In, -5 to +5V Out 3.333V at 10mV/V Sensitivity	182
ISO-5B38-07	300 Ohm to 10K Ohm In, -5V to +5V Out	182
ISO-5B38-35	Strain Gage Input Module, Narrow Bandwidth	182
ISO-5B38-37	Strain Gage Module, Narrow Bandwidth	182
ISO-5B39-01	0 - 5 Volt in, 4 - 20 mA out analog isolation module	152
ISO-5B39-02	Current Output Isolation Module +/- 5V Input, 4-20mA Output	152
ISO-5B39-03	0 to 5 volt in, 0 to 20 mA out Analog isolation module	152
ISO-5B39-04	+/- 5 Volt in, 0 - 20 mA out analog isolation module	152
ISO-5B39-07	5B-series -/+10V Input, -/+20mA Output Isolation Module	152
ISO-5B40-01	ISOLATED WIDE BAND VOLTAGE INPUT MODULE +/- 10MV IN, +/- 5 VOLTS OUT	152
ISO-5B40-02	ISOLATED WIDE BAND VOLTAGE INPUT MODULE +/- 50 MV IN, +/- 5 VOLTS OUT	152
ISO-5B40-03	Isolation module +/-100mV input, +/-5V output	152
ISO-5B40-04	+/- 10mV In, 0 to +5V Out, Wide Bandwidth	152
ISO-5B40-05	+/- 5V in, 0 to 5V out Wide Bandwidth Analog Isolation Module	152
ISO-5B40-06	+/- 10V in, 0 to 5V out Wide Bandwidth Analog Isolation Module	152
ISO-5B41-01	Isolation module - wide band +/-1V input, +/-5V output	152
ISO-5B41-02	Isolation module - wide band +/-5V input, +/-5V output	152
ISO-5B41-03	Isolation module - wide band +/-10V input, +/-5V output	152
ISO-5B41-04	+/- 1V IN, 0-5V OUT ANALOG ISOLATION MODULE	152
ISO-5B41-05	+/- 5 V in, 0 to 5 V out - 10 KHZ Analog Isolation Module	152
ISO-5B41-06	+/- 10V IN, 0 - 5 V OUT ANALOG ISOLATION MODULE	152
ISO-5B41-07	High Speed -20V to +20V in,-5V to +5 Out	152
ISO-5B41-08	5B-series -/+20V Input, 0 to +5V Output Isolation Module	152
ISO-5B41-09	+/- 40V in, +/- 5V out Analog Isolation Module	152

ISO-5B41-10	5B-series +/-40V Input, 0-5V Output Isolation Module	152
ISO-5B41-1181	Input range -80V to +80V, Output range -5V to +5V, 20Khz, Custom Voltage Module	398
ISO-5B42-01	4mA to 20mA in, +1V to +5V out	207
ISO-5B43-02	General Purpose Input Module, DC excitation	207
ISO-5B43-05	5B-series +/-5V Input, +/-5V Output Isolation Module with DC Excitation	207
ISO-5B43-10	5B-series +/-10V LVDT Input,+/-5V Output	207
ISO-5B45-01	0 to 500Hz in, 1 to 5V Out	182
ISO-5B45-02	0 to 1kHz in, 0V to +5V out	182
ISO-5B45-03	0 to 3kHz in, 0V to +5V out	182
ISO-5B45-04	0 to 5kHz In, 0V to +5V Out	182
ISO-5B45-05	0 to 10kHz in 0 to +5V out	182
ISO-5B45-06	0 to 25kHz in, 0V to +5V Out	182
ISO-5B45-07	0 to 50kHz In, 0V to +5v Out Isolation Module	182
ISO-5B45-08	0 to 100kHz Input, 0V to +5V Output	182
ISO-5B47-B-11	Type B, +500 to +1800C Input, 0 to +5V Output	207
ISO-5B47-E-08	Type E, 0 to +100C In, 0 to +5V Out	207
iso-5b47-j-01	ANALOG ISOLATION MODULE J THERMOCOUPLE +32c TO +760c INPUT, 0-5V OUTPUT	207
ISO-5B47-J-02	ANALOG ISOLATION MODULE J THERMOCOUPLE -100c TO +300c INPUT, 0-5V OUTPUT	207
ISO-5B47-J-03	Analog Isolation Module J Thermocouple +0c TO +500c INPUT, 0-5V OUTPUT	207
ISO-5B47-K-04	ANALOG ISOLATION MODULE K THERMOCOUPLE 0C TO 1000C INPUT, 0 TO 5 VOLT OUTPUT	207
ISO-5B47-K-05	Analog Isolation Module K Thermocouple +0c TO +500c INPUT, 0-5V OUTPUT	207
ISO-5B47-K-13	Analog Isolation Module K Thermocouple -100C to +135C Input, 0V to +5V Output	207
ISO-5B47-K-14	Type K, 0 to +1200C in, 0 to +5V out	207
iso-5b47-r-09	Type R, +500 to +1750C in, 0 to +5V out	207
iso-5b47-s-10	Analog Isolation Module S Thermocouple +500c TO +1750c INPUT, 0-5V OUTPUT	207
ISO-5B47-T-06	Type T, -100 to +400C in,0 to +5 out	207
ISO-5B47-T07	Type T, 0 to 200 deg C in, 0 to 5 V out	207
ISO-5B49-01	0V to +5V In, -5V to 5V Out	217
ISO-5B49-02	5B-series -/+ 5V Inpute, -/+5V Output Voltage Output Isolation Module	217
ISO-5B49-03	5B-series -/+5V Input, 0-5V Output Voltage Output Modules	217
ISO-5B49-04	5B-series 0 - +10V Input, +/-10V Output Voltage Output Isolation Module	217
ISO-5B49-05	5B-series +/-10V Input, -/+10V Output Isolation Module	217
ISO-5B49-06	-10V to +10V In, 0V to +10V Out	217
ISO-5B49-07	+/-5V in, +/-10V out	217
ISO-5B-DS	Pass Through Module - No Isolation or Conditioning - Input direct to Ouput	62
ISO-CAB-03	5' Cable connect to DB-24	67
ISO-DA02	2 Channel 5B module rack for DAC02 and DAS16/1600 series	131
ISO-DA02/DST	16 Channel 5B module rack for DAC02 and DAS16/1600 detachable screw terminals	160
ISO-DA02/P	2 Channel 5B module rack for 50 pin DDA02 and 100-Pin DAS series	131
ISO-DA02/P/DST	2 Chan 5B module rack for 50 pin DDA02 & 100-Pin DAS series detachable screw term	160
ISO-DA04/P	4 Channel 5B module rack for 50-pin DAC/DDA04 series	190
ISO-DA04/P/DST	4 Channel 5B module rack for 50-pin DAC/DDA04 detachable screw terminals	186
ISO-DA08	8 Channel 5B module rack for 37-Pin DAC08 series	176
ISO-DA08/DST	8 Channel 5B module rack for 37-Pin DAC08 series detachable screw terminals	235
ISO-DA08/P	8 Channel 5B module rack for 50-pin DAC/DDA08 series	176
ISO-DA08/P/DST	8 Channel 5B module rack for 50 Pin DAC/DDA08 detachable screw terminal	235
ISO-DA16	16 Channel 5B module rack for 37-Pin DAC16 series	284
ISO-DA16/DST	16 Channel 5B module rack for 37-Pin DAC16 series detachable screw terminals	363

ISO-DB-24	Provides isolated connection of high level ac or dc voltage to 16 I/O Ch.	163
ISO-RACK08	Isolation module mounting rack for 8 5B type isolation modules. AD08 pinout.	176
ISO-RACK08/DST	8 Channel isolation module rack for DAS08 familty detachable screw terminals	235
ISO-RACK16	16 CHAN 5B MOD RACK FOR CIO-DAS16 SERIES	225
ISO-RACK16/DST	16 Channel isolation module rack for DAS16 familty detachable screw terminals	310
ISO-RACK16/P	16 Channel isolation module rack for DAS16 family	225
ISO-RACK16/P/DST	16 Chan isolation module mounting rack for the DAS16 family w/ detachable terms	310
LBK/COM/422/485	RE-232,422,485 OPTION LOGBOOK/300	226
*** Note *** IOtech		
LBK1	REMOTE LOGBOOK TERMINAL	864
*** Note *** IOtech		
LGR-5325	Stand-alone, 100 kS/s, data logger includes 4 GB SD card and USB cable	1474
LGR-5327	Stand-alone, 200 kS/s, data logger includes 4 GB SD card and USB cable	1769
LGR-5329	200 kS/s data logger w/ isolated inputs includes 4 GB SD card and USB cable	2162
MCC DAQ CD	Includes InstaCal & Univ. Library, TracerDAQ & Univ. Library fo Labview	
MEMCARD-10	PC-CARD MEMORY,1GB, FOR LOGBOOK SYSTEMS	540
*** Note *** IOtech		
miniLAB 1008	Low-cost, USB-based Data Acquisition System	181
*** Note *** 25+ pc price		
miniLAB 1008-001	KLA Tencor custom miniLAB 1008	111
miniLAB 1008-002	KLA Tencor custom miniLAB 1008 with pull downs	111
miniLAB 1008-003	Standard miniLAB 1008 w/ pull downs	181
NDTHAMMER2	ELECTRIC IMPACT HAMMER ZONIC 2491	6489
*** Note *** IOtech		
NDTRELAY2	AUTOMATION MODULE WITH 8 RELAY MODULES	1621
*** Note *** IOtech		
NEMA-18P1309	Inner panel for 16x12x6 enclosure NEMA-2R16126 or NEMA-2P16126	70
NEMA-2DMK16	Din Rail installation kit for 16x12 enclosures, Not including DIN rail	98
NEMA-2DMK20	Din rail installation kit for 20x20 enclosures, Not including DIN rail	105
NEMA-2P16126	NEMA4, 16X12X6 enclosure	235
NEMA-2P20206	NEMA4 20X20X6 Enclosure	284
NEMA-2R16126	NEMA12, 16x12x6 enclosure	215
NEMA-2R20206	NEMA12, 20x20x6 enclosure	265
NEMA-2ZPMF	Mounting feet for Series 2000 enclosures	28
PC104-AC5	PB24 compatible 24 bit digital I/O board for PC/104 bus computers	153
PC104-DAC06	6 Channel, 12 Bit D/A PC104 Compliant	471
PC104-DAS08	20KHZ A/D, 12 Bit, 8 SI Inputs PC104 Compliant	235
PC104-DAS16JR/12	125KHZ A/D, 12 Bit, 16 SE or 8 DI PC104 Compliant	540
PC104-DAS16JR/16	100KHZ A/D, 16 Bit, 16 SE or 8 DI PC104 Compliant	648
PC104-DI48	48 Channel Digital Input Only	167
PC104-DIO48	48 Channel Digital I/O Two 82C55 - 50 Pin Conn.	167
PC104-DO48H	48 Channel Digital Output Only High Drive (64ma)	152
PC104-PDISO8	8 Electro Mechanical Relays 8 Isolated (500V) Inputs	274
PCAC1-70M	AC OUTPUT MODULE 120VAC, GRAYHILL # 70M-OAC5	46
*** Note *** IOtech		
PCAC1-W	AC CONTROL MODULE 12-240 VAC OPTO 22 PN OAC5	46
*** Note *** IOtech		
PCAC2-W	AC CONTROL MODULE 24-280 VAC OPTO 22 PN OAC5A WIDE	46
*** Note *** IOtech		
PCAC3-W	AC CONTROL MOD. 24-28- VAC NC OPTO 22 PN OAC5A5 WIDE	46

*** Note *** IOtech		
PC-CARD-C37F/26	Cable, 26 PIN F to 37PIN F for use with PC-CARD-DAC08	125
PCDC1-70M	DC OUTPUT MODULE 3-60VDC, GRAYHILL # 70M-ODC5	46
*** Note *** IOtech		
PCDC1-W	DC CONTROL MOD. 5-60 VDCC OPTO 22 PN ODC5 WIDE	46
*** Note *** IOtech		
PCDC2-W	DC CONTROL MOD. 5-200 VDC N/O OPTO 22 PN ODC5A WIDE	46
*** Note *** IOtech		
PCDC3-W	DC CONTROL MOD. 5-100 VDC OPTO 22 PN ODC5R WIDE	46
*** Note *** IOtech		
PCI-2511	16 channel, 16 bit, 1 MHz, PCI DAQ	746
PCI-2513	16 channel, 16 bit, 1MHz, PCI DAQ with Programmable Ranges	854
PCI-2515	16 channel, 16 bit, 1 MHz, PCI DAQ with Programmable Ranges and 2 D/A's	972
PCI-2517	16 channel, 16 bit, 1 MHz, PCI DAQ with Programmable Ranges and 4 D/A's	1081
PCI-488	IEEE 488.2 standard PCI interface	510
PCI-COM SW/CD	PCI-COM series utility software CD format	7
PCI-COM232	PCI Bus Single Port RS-232 interface with DB9 connector	156
PCI-COM232/2	PCI Bus Dual Port RS-232 interface with dual DB9 connectors	186
PCI-COM232/2/S	PCI Bus Dual Port RS-232 interface with DB9 connectors and surge protection	225
PCI-COM232/S	Single Port RS-232 interface w/surge suppressors	176
PCI-COM422/485	PCI Bus Single Port RS422 or RS485 interface for PCI bus	206
PCI-COM422/485/2/S	PCI Bus Dual Port RS422 or RS485 with surge protection	339
PCI-COM422/485/S	PCI Bus Single Port RS422 or RS485 interface with surge protection	225
PCI-COM422/485-2	PCI Bus Dual Port RS422 or RS485 interface for PCI bus	255
PCI-DAC6702	8 Channel, 16-bit analog output board	756
PCI-DAC6703	16-channel, 16-bit analog output board	904
PCI-DAS08	8 Channel 50KHz 12-Bit A/D board with 7 DIO Bits and 2 CTR	255
PCI-DAS1000	16 channel 250kHz 12-bit A/D board	540
PCI-DAS1001	16 Channel 150KHz 12-Bit A/D Prog Gains of 1 10 100 1000 2D/A	845
PCI-DAS1002	16 Channel 200 KHz 12-Bit A/D Prog Gains of 1 2 4 8 and 2 D/As	766
PCI-DAS1200	16 Channel 330KHz 12-Bit A/D with 3uS Burst Mode & Prog Gain, 2 D/As	982
PCI-DAS1200/JR	16 Channel 330KHz 12-Bit A/D with 3uS Burst Mode Prog Gain	677
PCI-DAS1602/12	16 Channel 330KHz 12-Bit-A/D with 5uS Burst Mode & Prog Gain, 2 fast D/As	963
PCI-DAS1602/16	16 Channel 200kHz 16 Bit Resolution A/D 2 Ch 200kHz D/A 24DIO Advanced Triggers	1228
PCI-DAS4020/12	4 channel 20 MHz 12-bit A/D with 24 DIO bits and dual analog outputs	1474
PCI-DAS6013	Low-cost 16-channel, 16-bit A/D board w/8 DIOs & 2 counter/timers	412
PCI-DAS6014	Low-cost 16-channel, 16-bit A/D board w/dual 16-bit D/As, 8 DIOs & 2 CNTRS	520
PCI-DAS6023	16 Ch, 200 kS/S, 12-bit A/D, 8 DIO and 2 CNTRs for PCI bus	510
PCI-DAS6025	16 Ch, 200 kS/S, 12-bit A/D, 12-bit D/A 32 DIO and 2 CNTRs for PCI Bus	589
PCI-DAS6030	16 Channel, 100 KS/S 16-bit A/D board w/two 16-bit D/AS, 8 DIO lines & 2 CTRS	1336
PCI-DAS6031	64 Channel, 100 kS/S 16 bit A/D board w/two 16 bit D/As, 8 DIO lines & 2 CNTRS	1395
PCI-DAS6032	16 Channel, 16-bit 100 KHz A/D board w/two 16-bit, 8 DIO bits & 2 CNTRS	982
PCI-DAS6033	64 channel, 100 KS/s 16-bit A/D board with 8 digital I/O bits & 2 CNTRS	1277
PCI-DAS6034	16 Ch, 200 kS/S, 16 bit A/D 8 DIO and 2 CTR's for PCI Bus	520
PCI-DAS6035	16 Ch, 200 kS/S, 16-bit A/D, 12-bit D/A 8 DIO and 2 CNTRs for PCI Bus	815
PCI-DAS6036	200KS/S, 16 channel 16-bit analog input board with dual 16-bit D/AS	687
PCI-DAS6040	16 channel, 12-bit 250 KS/s A/D board with two D/As & 8 DIO bits	815
PCI-DAS6052	16 Channel 16-bit 330 KHz A/D board w/two 16-bit D/A's, 8 DIO bits & 2 Cntrs	1307
PCI-DAS6070	16 Channel, 12-bit 1.25 MHz A/D board with two D/AS and 8 DIO bits	1199
PCI-DAS6071	64 channel, 12-bit 1.25 MHz A/D board with two D/AS and 8 DIO bits	1366

PCI-DAS6402/16	64 Channel 200KHz 16-Bit A/D with 5uS Burst Mode Prog Gain 2 100KHz D/As	1366
PCI-DAS-TC	16 Ch Thermocouple board including screw term board & 5ft shielded cable	854
PCI-DAS-TC/BRD	16 Ch Thermocouple board only	628
PCI-DDA02/12	2 Channel 12-Bit Analog Output Board with 48 Bits of Digital I/O	510
PCI-DDA02/16	2-channel, 16-bit analog output board with 48 high-drive digital I/O bits	884
PCI-DDA04/12	4 Channel 12-Bit Analog Output Board with 48 Bits of Digital I/O	795
PCI-DDA04/16	4-channel, 16-bit analog output board with 48 high-drive digital I/O bits	1130
PCI-DDA08/12	8 Channel 12-Bit Anlaog Output Board with 48 Bits of Digital I/O	1130
PCI-DDA08/16	8-channel, 16-bit analog output board with 48 high-drive digital I/O bits	1700
PCI-DIO24	24-Bit Standard Drive Digital I/O Board	139
PCI-DIO24/LP	Low Profile PCI-bus 24-bit DIO board	206
PCI-DIO24/S	24-bit PCI-bus digital I/O board with built-in static/surge protection	225
PCI-DIO24/SIPSCKT	24-Bit Standard Drive Digital I/O Board w/SIP socket for pull up/down resist.	152
PCI-DIO24H	24-Bit High Drive 64mA Digital I/O Board	206
PCI-DIO24H/SIPSCKT	24-Bit High Drive 64mA Digital I/O Board w/SIP socket for pull up/down resist.	225
PCI-DIO48H	48-bit high drive 64mA digital I/O board emulates 8255 Mode 0 for PCI bus	274
PCI-DIO48H/SIPSCKT	48-Bit High Drive 64mA Digital I/O Board w/SIP socket for pull up/down resist.	304
PCI-DIO48H-RT	48-bit high drive 64mA digital I/O board for PCI bus with right angle connector	274
PCI-DIO48HRT/SIPSCK	48-bit high drive 64mA digital board w/SIP socket for pull up/down resist.	304
PCI-DIO96	96 bit digital I/O board with four 82C55	304
PCI-DIO96/SIPSCKT	96-Bit Standard Drive Digital I/O Board w/SIP socket for pull up/down resist.	373
PCI-DIO96H	96-Bit High Drive 64mA Digital I/O Board	343
PCI-DIO96H/SIPSCKT	96-Bit High Drive 64mA Digital I/O Board w/SIP socket for pull up/down resist.	412
PCI-DUAL-AC5	Dual AC5/PB24 I/O module rack interface & general purpose high drive I/O board	215
PCIE-DAS1602/16	16 channel 16-bit PCIE analog I/O board	825
PCIE-DIO24	PCIe-based, digital I/O board w/24 channels of TTL digital I/O	284
PCIE-DIO96H	PCIe-based, digital I/O board w/96 bits of high-drive TTL digital I/O	451
PCI-INT32	Dual Z8536 based digital I/O board with 40 DIO bits or 6 counters	215
PCI-INT32-VERT	Dual Z8536 based I/O board w/40 DIO bits or 6 counters vertical 50 pin conn.	215
PCIM-DAS1602/16	16 channel 16-bit PCI analog I/O board PCI replacement for ISA CIO-DAS1602/16	854
PCIM-DAS16JR/16	16 channel, 16-bit A/D board w/CIO- DAS16JR series conn. compatibility	471
PCIM-DDA06/16	6 channel 16-bit PCI analog output board fully compatible with CIO-DDA06/16	904
PCI-PDISO16	16 Electromechanical relays, 16 isolated (500V) digital input board for PCI bus	451
PCI-PDISO8	8 Electromechanical relays, 8 isolated (500V) digital input board for PCI bus	304
PCI-QUAD04	4-Channel quadrature encoder interface board for the PCI bus	451
PDQ1	PERSONAL DAQ EXP MODULE 10 DIFF/20 SINGLE ENDED INPUTS	697
*** Note *** IOtech		
PDQ10	DIN RAIL MOUNT ADAPTER FOR PERSONAL DAQ	65
*** Note *** IOtech		
PDQ11	4 POWERED USB HUB WITH CABLE TARGUS # PA050U	226
*** Note *** IOtech		
PDQ12	USB EXTENDER CABLE, 5 METERS USBGEAR.COM, #USBG-2U16	111
*** Note *** IOtech		
PDQ2	PERSONAL DAQ EXP MODULE 20 DIFF/40 SINGLE ENDED INPUTS	805
*** Note *** IOtech		
PDQ30	ANALOG INPUT EXP MODULE, 1MHz,48SE/24DE/24 TC CHANNELS	638
*** Note *** IOtech		
PERS-DAQ/3000	PERS-DAQ/3000	1621
*** Note *** IOtech		
PERS-DAQ/3001	PERS-DAQ/3001	1730

*** Note *** IOtech		
PERS-DAQ/3005	PERS-DAQ/3005	1513
*** Note *** IOtech		
PERSONAL DAQ/54	USB DATA ACQ WITH 5 DIFF AND 10 SE ANALOG CH, NO EXPANSION	776
*** Note *** IOtech		
PERSONAL DAQ/55	USB DATA ACQ. WITH 5 DIFF. AND 10 SINGLE ENDED ANALOG CHANNEL	1130
*** Note *** IOtech		
PERSONAL DAQ/56	USB DATA ACQ. W/ 10 DIFF. AND 20 SINGLE ENDED ANALOG INPUT	1494
*** Note *** IOtech		
PIDPRO PLUS	ENHANCED DBK70 SOFTWARE, DBK70	422
*** Note *** IOtech		
PS-5V1AEPS	Replacement power supply, 5-watt, for E-1608 interchangeable plugs available separately	41
*** Note ***		
PS-9V1AEPS230V	9 Volt 1 Amp external power supply 230 Volt	41
PS-9V1AEPS-2500	External power supply, 120VAC to +9V	77
PSAC1-70M	AC/DC INPUT 15-32VAC/10-32VDC, GRAYHILL # 70MIDC5NP	46
*** Note *** IOtech		
PSAC1-W	AC/DC INPUT MOD. 12-32 VAC/VDC , OPTO 22 PN IDC5	46
*** Note *** IOtech		
PSAC3-70M	AC INPUT MODULE 120VAC, GRAYHILL # 70M-IAC5	46
*** Note *** IOtech		
PSAC3-W	AC/DC INPUT MOD. 90-140VDC/VAC , OPTO 22 PN IAC5	46
*** Note *** IOtech		
PSDC1-70M	DC INPUT MODULE 3-32VDC, GRAYHILL # 70M-IDC5	46
*** Note *** IOtech		
PSDC1-W	DC INPUT MODULE, 2.5-28VDC, OPTO 22 PN IDC5D WIDE	46
*** Note *** IOtech		
PSDC2-W	DC INPUT MODULE, 4-15VDC, OPTO 22 PN IDC5B WIDE	46
*** Note *** IOtech		
RACK-3	19-inch rack mount kit for TB-100	63
*** Note *** IOtech		
RACKDBK-1	RACKMOUNT KIT FOR 2U CASE (EXTRA LARGE CASE)	162
*** Note *** IOtech		
RACKDBK2	RACK MOUNT KIT FOR SUB 1U CASE ,DAQBOOK PRODUCTS	162
*** Note *** IOtech		
RACKDBK3	RACK MOUNT KIT FOR 1U CASE (MEDIUM CASE)	162
*** Note *** IOtech		
RACKDBK4	RACKMOUNT KIT FOR 1.5U CASE (LARGE CASE)	162
*** Note *** IOtech		
RC-7758	Castors for RR-1364MG	28
RM-TB-100	19-inch rack mount kit for TB-100	60
RR-1249	31"(28" panel space) table top rack mount	172
RR-1364	76"(71.75" panel space) floor mounted rack mount	294
SADP-25F9M	25-pin F to 9-pin M adapter	13
SADP-25FM-NM	25-pin M to 25-pin F null modem adapter	13
SADP-25M9F	25-pin M to 9-pin F adapter	13
SADP-25MM	25-pin M to 25-pin M adapter	13
SADP-9FF	9-pin F to 9-pin F adapter	13
SADP-9FM-NM	9-pin M to 9-pin F null modem adapter	13
SADP-9MM	9-pin M to 9-pin M adapter	13

SCB-100	100 Conductor shielded signal connection box	206
SCB-37	37 Conductor shielded signal connection box	206
SCB-50	50 Conductor shielded signal connection box	206
SNSR-AD592-PRB1CN	AD592 Sensor In A 1 Inch Stainless Steel Case, 3' Leads - CN Part	69
SNSR-AD592-PRB6CN	AD592 Sensor In A 6 Inch Stainless Steel Case, 3' Leads- CN Part	69
SNSR-AD592-TO2	AD592CN Sensor Part, Plastic Package	21
SSR-4-HIDC-05	Quad Highspeed DC input Switching Module	83
SSR-4-IAC-05	Quad Vac In (90-140)	69
SSR-4-IAC-05A	Quad Vac In(180-280)	69
SSR-4-IDC-05	Quad VDC In(3.3-32)	69
SSR-4-IDC-05NP	Quad V In Not Polarized(10-60)	69
SSR-4-OAC-05	Quad Vac Out(12-140) 3 Amp	69
SSR-4-OAC05A	Quad Vac Out(24-280) 3 Amp	69
SSR-4-OB5Q-11	Quad DC out, cmn, return, low 1	55
SSR-4-ODC-05	Quad VDC Out(3-60) 3 Amp	69
SSR-4-ODC05A	Quad VDC Out(5-200) 1 Amp	69
SSR-4-RO5Q	Quad,Normally Open,Output	111
SSR-IAC-05	AC Sense SSR, 90-140 VAC, 2500V Iso.	17
SSR-IAC-05A	AC Sense SSR, 180-280 VAC, 2500V Iso.	17
SSR-IDC-05	DC Sense SSR, 10-32 VDC	17
SSR-IDC-05NP	DC Sense SSR, 10-32 VDC Non-Polarized Digital Inputs	17
SSR-OAC-05	AC Switch SSR, 24-140 VAC, 3A @ 120 VAC 2500 VAC Isolation.	17
SSR-OAC-05A	AC Switch SSR, 240 VAC Out 2500 VAC Isolation.	18
SSR-OAC5A5	Isolated 240 VAC Output Module. Normally Closed Configuration.	13
SSR-ODC-05	DC Sense SSR, 1-60 VDC @ 3A	17
SSR-ODC-05A	DC Sense SSR, 200 VDC @ 1A	25
SSR-ODC-05B	Low Leakage DC SSR, 1 - 60 VDC @ 3A	17
SSR-PB24	24 Solid State Relay Rack for use with CIO-DUALAC5	190
SSR-RACK08	8 CHANNEL SOLID STATE ACC FOR THE DIO24	160
SSR-RACK08/DST	8 solid state relay OPTO22 type mounting rack detachable screw terminals	195
SSR-RACK24	24 Position Solid State Relay rack.	176
SSR-RACK24/DST	24 solid state relay OPTO22 type mounting rack detachable screw terminals	225
SSR-RACK48	48 Solid State Rack Quad Module 50P Conn	225
SSR-RACk48/DST	48 solid state relay Quad Type mounting rack detachable screw terminals	274
STRAINBOOK/616	8 CHANNEL STRAIN GAGE MEASUREMENT SYSTEM	7138
*** Note *** IOtech		
SwitchAndSense-8/8	Digital I/O interface for the USB bus w/8 3-24V AC/DC inputs & 8 DPDT relays	324
TB-100	Screw Terminal board for PCI-2500 Series	153
TB-101	Termination Board for USB-2500	215
TB-102	Termination board with screw terminals	215
TB-103	Termination board with screw terminals	196
TEMP RTD/16B	RTD MODULE FOR TEMPSCAN/1100 16 CHANNELS	540
*** Note *** IOtech		
TMC6-HD	air, water, or soil temperature sensor; 6 ft	55
*** Note ***		
TR-2U	TR-2U	77
*** Note *** IOtech		
TR-40U	PWR SUPP,100-240V, 50W, 15VDC, GLOBTEK # GS-752	162
*** Note *** IOtech		
TR-40UA	PWR SUPP,100-240VAC,72W,15VDC, GLOBTEK # TR9CG4800N05-Y-IO	161

*** Note *** IOtech		
TR-60U	PWR SUPP,90-264VAC,24VDC,0.6A AEL15US24-XA0137A	77
*** Note *** IOtech		
TracerDAQ PRO	DAQ logger and instrument software suite	196
UK Plug	UK Plug for USB Power Adapter	14
US Plug	US Plug for USB Power Adapter (included w/USB Power Adapter)	14
USB Power Adapter	2.5 watt USB Adapter w/interchangeable Plugs (includes plug for USA)	44
USB-1024HLS	USB-based 24-bit digital I/O module with high current outputs	186
USB-1024LS	Low-cost, 24-bit digital I/O, USB-based Personal Measurement Device	125
USB-1024LS-MM	OEM USB-1024LS no case, no terminals, no cable	70
*** Note *** 25 pc minimum order		
USB-1208FS	High speed Personal Measurement Device brand analog & digital I/O module	186
USB-1208FS-MM	OEM version USB-1208FS no case, no cable no screw terminals 25pc. minimum	209
*** Note *** 25 pc minimum order		
USB-1208FS-PLS-OEM	OEM 12-Bit, 50 kS/s, Multifunction DAQ Device with 8 SE/4 DIFF Analog Inputs	186
*** Note ***		
USB-1208FS-PLUS	12-Bit, 50 kS/s, Multifunction DAQ Device with 8 SE/4 DIFF Analog Inputs	186
USB-1208HS	High speed analog input module w/8 13-bit, 1 MS/s analog inputs	491
USB-1208HS-2AO	High-speed multifunction mod. w/8 13-bit, 1 MS/s A/I & 2 12-bit MS/s A/O	589
USB-1208HS-4AO	High-speed multifunction mod. w/8 13-bit, 1 MS/s A/I & 4 12-bit, 1MS/s A/O	687
USB-1208LS	Personal Measurement Device for USB w/ 8 A/D Inputs, 2 D/A Outputs & 16 DIOs	181
USB-1208LS-MM	OEM USB-1208LS no case, no terminals, no cable	98
*** Note *** 25 pc minimum order		
USB-1408FS	USB-based, 8-channel, 14-bit, 48 kHz	245
USB-1408FS-PLS-OEM	OEM 14-Bit, 48 kS/s, Multifunction DAQ Device with 8 SE Analog Inputs	245
*** Note ***		
USB-1408FS-PLUS	14-Bit, 48 kS/s, Multifunction DAQ Device with 8 SE Analog Inputs	245
USB-1602HS	16-bit, 2 MS/s simultaneous sampling analog input module	1966
USB-1602HS-2AO	Two 16-bit, 2MS/s single ended A/I Two 16-bit 1MS/s analog outputs	2162
USB-1604HS	Four 16-bit, 1.33 MS/s single-ended analog inputs	1966
USB-1604HS-2AO	Four 16-bit, 1.33MS/s single-ended A/I Two 16-bit, 1MS/s analog outputs	2162
USB-1608FS	USB-based, 8-channel, 16-bit, Simultaneous sampling analog I/O module	392
USB-1608FS-MM	OEM version USB-1608FS no case, no cable no screw terminals 25pc. minimum	392
*** Note *** 25 pc minimum order		
USB-1608FS-PLS-OEM	OEM 8-Channel, 16-bit, Simultaneous 400 kS/s Multifunction DAQ Device	392
*** Note ***		
USB-1608FS-PLUS	USB-based, 8-channel, 16-bit, 100 kS/s Simultaneous sampling analog I/O module	392
USB-1608G	USB-based, 16 channel, 16-bit, 250 kS/s w/8 DIO, 2 counter and 1 timer	392
USB-1608G-OEM	OEM USB-based, 16 channel, 16-bit, 250 kS/s w/8 DIO, 2 counter and 1 timer	392
*** Note ***		
USB-1608GX	USB-based, 16 channel, 16-bit, 500 kS/s w/8 DIO, 2 counter and 1 timer	589
USB-1608GX-2AO	USB-based, 16 channel, 16-bit, 500 kS/s w/8 DIO, 2 counter, 1 timer, 2 AOUT	786
USB-1608GX-2AO-OEM	OEM USB-based, 16 channel, 16-bit, 500kS/s w/8DIO, 2counter, 1timer, 2AOUT	786
*** Note ***		
USB-1608GX-OEM	OEM USB-based, 16 channel, 16-bit, 500 kS/s w/8 DIO, 2 counter and 1 timer	589
*** Note ***		
USB-1608HS	USB 8-channel, 16-bit, 250kHz simultaneous sampling analog I/O module	1179
USB-1608HS-2AO	USB 8-channel, 16-bit, 250kHz, 2AO simultaneous sampling analog I/O module	1376
USB-1616FS	16 Chan, 16-bit USB-based Analog, digital I/O, w/screw terms.	953
USB-1616FS-B	16 Chan, 16-bit USB-based, Non HID Analog, digital I/O, w/screw terms.	953

USB-1616HS	1-MHz, 16-bit DAQ module w/ 16 AI and 8 TC inputs	1376
USB-1616HS-2	1 MHz, 16-bit DAQ module with 16 analog inputs, 8 TC inputs, & 2 analog outputs	1474
USB-1616HS-4	1-MHz, 16-bit multifunction DAQ module w/16 AI, 8 TC inputs & 4 AO	1572
USB-1616HS-BNC	1 MS/s, 16-bit DAQ module with 16 BNC diff. analog inputs & 2 analog outputs	1966
USB-2001-TC	Single channel USB thermocouple unit Spade-type connector	139
USB-201	USB DAQ device with 8 SE analog inputs, 12-bit resolution, 100 kS/s & 8 DIOs	139
*** Note *** Shipments starting 01-MAR-2013		
USB-201-OEM	USB OEM DAQ board with 8 SE analog inputs 12-bit resolution, 100 kS/s, & 8 DIOs	139
*** Note *** Shipments starting 01-MAR-2013		
USB-202	USB DAQ device with 8 SE analog inputs, 12-bit resolution, 100 kS/s, 8 DIOs and 2	209
USB-2020	12-bit, 20 MS/s, simultaneous sampling, utra high-speed USB board	982
USB-202-OEM	USB OEM DAQ with 8 SE analog inputs, 12-bit, 100 kS/s, 8 DIOs and 2AO	209
USB-204	USB DAQ device with 8 SE analog inputs, 12-bit resolution, 500 kS/s, & 8 DIOs	209
*** Note *** Shipments starting 01-MAR-2013		
USB-204-OEM	USB OEM DAQ board with 8 SE analog inputs 12-bit resolution, 500 kS/s, & 8 DIOs	209
*** Note *** Shipments starting 01-MAR-2013		
USB-205	USB DAQ device with 8 SE analog inputs, 12-bit resolution, 500 kS/s, 8 DIOs and 2	196
USB-205-OEM	USB OEM DAQ with 8 SE analog inputs, 12-bit, 500 kS/s, 8 DIOs and 2AO	196
USB-231	USB-based, 8-channel, 16-bit, 50kS/s w/8 DIO, 1 counter, 2 16-bit AO	245
*** Note ***		
USB-231-OEM	16-Bit, 50 kS/s, Multifunction OEM DAQ Device with 2 Analog Outputs	245
*** Note ***		
USB-234	USB-based, 8-channel, 16-bit, 100 kS/s w/8 DIO, 1 counter, 2 16-bit AO	417
*** Note ***		
USB-234-OEM	16-Bit, 100 kS/s, Multifunction OEM DAQ Device with 2 Analog Outputs	417
*** Note ***		
USB-2404-10	+/-10V, 24-bit, simultaneous sampling analog input module	982
USB-2404-60	+/-60v, 24-bit, simultaneous sampling analog input module	1081
USB-2404-UI	Four channel, 24-bit universal A/I device w/integrated signal conditioning	982
USB-2408	8DI/16SE channel, 24-bit 1100 S/s MIO with thermocouple support	589
USB-2408-2AO	8DI/16SE channel, 24-bit 1100 S/s MIO with thermocouple support, 2 AOUT	687
USB-2416	24-bit, isolated, high-channel-count multifunction DAQ module	1081
USB-2416-4AO	24-bit, isolated, high-channel-count multifunction DAQ mod. w/4 A/O channels	1277
USB-2523	16-bit/1mHz DAQ USB board 16SE/8DI CH, 0 DAC, 24 DIO, 6 C/T	933
USB-2527	16-bit/1mHz DAQ USB board 16SE/8DI CH, 4 DAC, 24 DIO, 6 C/T	1130
USB-2533	16-bit/1mHZ DAQ USB board 64SE/32DI CH, O DAC, 24 DIO, 6 C/T	1130
USB-2537	16-bit/1mHz DAQ USB board 64SE/32DI CH, 4 DAC, 24 DIO, 6 C/T	1326
USB-2623	16 BIT/1MSPS DAQ BOARD, USB 16SE CH AI, 24 DIO, 4 C/T	786
USB-2627	16 BIT/1MSPS DAQ BOARD, USB 16SE CH AI, 24 DIO, 4 C/T, 4AO	982
USB-2633	16/BIT/1MSPS DAQ BAORD, USB 64SE CH AI, 24 DIO, 4 C/T	1081
USB-2637	16 BIT/1MSPS DAQ BOARD, USB 64SE CH AI, 24 DIO, 4 C/T, 4AO	1277
USB-3101	4 channel 16-Bit D/A USB Device w/8 bits of Digital I/O	294
USB-3101FS	4-channel, 100 kS/s, simultaneous, analog output module	491
USB-3102	4 channel 16-Bit Voltage/Current Output USB Device w/8 bits of Digital I/O	392
USB-3103	8 channel 16-Bit D/A USB Device w/8 bits of Digital I/O	343
USB-3104	8 channel 16-Bit Voltage/Current Output for USB w/8 bits of Digital I/O	441
USB-3105	16 channel 16-Bit D/A USB Device w/8 bits of Digital I/O	491
USB-3106	16 channel 16-Bit Voltage/Current Output w/8 bits of Digital I/O	589
USB-3110	4 Channel 16-Bit D/A high drive for USB w/8 bits of Digital I/O	392
USB-3112	8 Channel 16-Bit D/A high drive for USB w/8 bits of Digital I/O	441

USB-3114	16 Channel 16-Bit high drive for USB w/8 bits of Digital I/O	589
USB-488	USB based GPIB interface	487
USB-501	Remote single channel USB temperature logger	88
USB-501-LCD	Single channel USB temperature w/LCD	114
USB-501-LT	Low-cost Temperature Data Logger	69
USB-501-PRO	Remote single channel USB temperature logger with ruggedized housing	147
USB-501-RCG	Singel channel USB temperature Rechargeable	185
USB-501-TC	Remote thermocouple data logger with USB interface	119
USB-501-TC-LCD	Thermocouple USB data logger with LCD display	143
USB-502	Remote temperature and humidity logger	115
USB-502-LCD	Battery powered temperature and humidity logger with LCD display	139
USB-502-PLUS	Remote temperature and humidity logger with increased accuracy	178
USB-503	0-30 VDC Voltage Data Logger	112
USB-504	4-20 mA Current Loop Data Logger	112
USB-505	Counter, Event & State logger	117
USB-5104	4-channel Thermocouple Data Logger	324
USB-5106	4 channel analog logger	209
USB-5201	8 Channel Thermocouple Logger with Alarming	677
USB-5203	8 Channel Temperature Logger with Alarming	786
USB-525	Logger Assistant for the USB-500 Series	196
USB-601	Temperature data logger with graphic LCD	190
USB-602	Temperature and relative humidity data lo graphic LCD screen	147
USB-603	Dual channel thermocouple data logger wit graphic LCD screen	182
USB-7202	DAQ module w/eight 16-bit A/I & 8 digital	392
USB-7204	DAQ module w/8 A/I, up to 12-bit resoluti 50 kS/s, 2 D/A outputs, & 16 digital I/O	186
USB-CTR04	4 Channel 64-bit USB counter with 8 DIO, 4 timers	353
*** Note ***		
USB-CTR08	8 Channel 64-bit USB counter with 8 DIO, 4 timers	422
*** Note ***		
USB-DIO24/37	Same performance as USB-1024LS w/37-pin D-sub connector, no case	139
USB-DIO24H/37	Same performance as USB-1024HLS w/37-pin D-sub connector, no case	196
USB-DIO96H	96-bit USB-based digital I/O Replaces PCI-DIO96H w/screw terms.	432
USB-DIO96H/50	Same performance as USB-DIO96H w/2 50-pin connectors, no screw terms.	324
USB-ERB08	8 Channel USB-based relay module with 6 Amp relays, w/screw terms.	274
USB-ERB24	24 Channel USB-based relay module with 6 Amp relays, w/screw terms.	382
USB-PDISO8	8 Form C relays, 8 hi-volt inputs, USB replaces PCI-PDISO8, w/screw terms.	324
USB-PDISO8/40	Same performance as USB-PDISO8 w/40-pin connector, no screw terms.	324
USB-PDISO8-EU	8 Form C relays, 8 hi-volt inputs, USB with EU Power Supply	324
USB-QUAD08	8-channel quadrature encoder device	589
USB-SSR08	8 Channel USB-based solid state I/O module interface, w/screw terms.	382
USB-SSR24	24 Channel USB-based solid state I/O module interface, w/screw terms.	432
USB-TC	USB-based 8-channel TC input module with 8 DIOs	353
USB-TC-AI	USB based 4-channel TC input and 4-channel analog input	589
USB-TEMP	USB-based 8-channel Temperature measurement module w/8 DIOs	540
USB-TEMP-AI	USB based 4-channel Temperature input and 4-channel analog input	707
WAVEBOOK/516E	ETHERNET, 16 BIT, 1MHz, DATA ACQUISITION SYSTEM	7138
*** Note *** IOtech		
WBK10A	8-CH EXPANSION MODULE, HI-RES	2487
*** Note *** IOtech		
WBK13A	8 CH LOW-PASS FILTER AND SSH OPTION FOR WAVEBOOK/516	3785

*** Note *** IOtech		
WBK15	8 SLOT 5B SIGNAL CONDITIONING MODULE FOR WAVEBOOK	1730
*** Note *** IOtech		
WBK16	8-CHANNEL STRAIN MODULE FOR WAVEBOOK SYSTEMS	4325
*** Note *** IOtech		
WBK16/LC	LOAD CELL SHUNT CAL OPTION FOR WBK16	77
*** Note *** IOtech		
WBK16/SSH	8-CH STRAIN WITH SSH FOR WAVEBOOK SYSTEMS	4650
*** Note *** IOtech		
WBK17	8 CHANNEL COUNTER/ENCODER MODULE	2919
*** Note *** IOtech		
WBK18	8 CHANNEL DYNAMIC SIGNAL CONDITIONING MODULE	5299
*** Note *** IOtech		
WBK30/128	WAVEBOOK MEMORY MODULE 128 MEGABYTE	972
*** Note *** IOtech		
WBK40	14-CH TC INPUT MODULE FOR WAVEBOOK/516E AND WBK25	2379
*** Note *** IOtech		
WBK41	MULTIFUNCTION I/O MODULE FOR WAVEBOOK/516E AND WBK25	2487
*** Note *** IOtech		
WBK61	HIGH VOLTAGE ADAPTER WITH PROBES FOR WAVEBOOK SYSTEM	324
*** Note *** IOtech		
WBK62	HIGH VOLTAGE 20:1 ADAPTER FOR WAVEBOOK SYSTEMS	324
*** Note *** IOtech		
WEB-TC	Web-enabled 8-channel thermocouple input module	589
WEB-TEMP	Web-enabled 8-channel temperature measurement mod. supports 4 sensor types	687
WIFI-501	WiFi Temperature Data Logging Sensor	147
WIFI-501-TP	WiFI Temperature Probe data Logger	147
WIFI-502	WiFI Remote temperature and humidity logg	182
WLS-IFC	USB-to-Wireless Interface Module	209
WLS-TC	Wireless 8 Channel Thermocouple measurement module w/8 DIOs	756
WLS-TEMP	Wireless 8 Channel Temperature measurement module w/8 DIOs	815